

## Copyright Warning & Restrictions

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material.

Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be “used for any purpose other than private study, scholarship, or research.” If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of “fair use” that user may be liable for copyright infringement,

This institution reserves the right to refuse to accept a copying order if, in its judgment, fulfillment of the order would involve violation of copyright law.

**Please Note: The author retains the copyright while the New Jersey Institute of Technology reserves the right to distribute this thesis or dissertation**

Printing note: If you do not wish to print this page, then select “Pages from: first page # to: last page #” on the print dialog screen

The Van Houten library has removed some of the personal information and all signatures from the approval page and biographical sketches of theses and dissertations in order to protect the identity of NJIT graduates and faculty.

## **ABSTRACT**

### **HIGHWAY ADVISORY RADIO IN THE STATE OF NEW JERSEY**

**by**  
**Thomas Mark Nemeth**

Highway Advisory Radio (HAR) is a broadcasting system used by transportation agencies to disseminate vital real-time traffic information to motorists. Each transmitter is restricted by the rules and regulations of the Federal Communications Commission (FCC) to an average broadcast radius of three to five miles. Most commonly these transmitters are located at major highway intersections, such that motorists may take alternate routes in case of congestion or emergencies.

All operational HAR transmitters in New Jersey were identified and their coverage zones were quantitatively characterized in terms of the signal to noise ratio at the receiver. These experimental results were then compared to subjective qualitative audio reception, and detailed maps of HAR coverage zones along New Jersey highways were drawn. This data, knowledge of current deployments of HAR around the country, and information concerning availability and pricing by vendors, were combined. Finally, recommendations for future implementations of HAR systems in the state of New Jersey to meet the needs of motorists were drawn.

**HIGHWAY ADVISORY RADIO IN THE STATE OF NEW JERSEY**

**By  
Thomas Mark Nemeth**

**A Thesis  
Submitted to the Faculty of  
New Jersey Institute of Technology  
In Partial Fulfillment of the Requirements for the Degree of  
Master of Science in Electrical Engineering**

**Department of Electrical and Computer Engineering**

**January, 2001**

Blank Page

**APPROVAL PAGE**

**HIGHWAY ADVISORY RADIO IN THE STATE OF NEW JERSEY**

**Thomas Mark Nemeth**

---

Dr. Edip Niver Date  
Associate Professor of Electrical and Computer Engineering  
Electrical and Computer Engineering, NJIT

---

Dr. Alexander Haimovich Date  
Professor of Electrical and Computer Engineering  
Electrical and Computer Engineering, NJIT

---

Dr. Gerald Whitman Date  
Professor of Electrical and Computer Engineering  
Electrical and Computer Engineering, NJIT

---

Thomas Batz Date  
Manager of Technology Development  
Traffic Operations Coordinating Committee (TRANSCOM)

## **BIOGRAPHICAL SKETCH**

**Author:** Thomas Mark Nemeth

**Degree:** Master of Science

**Date:** January 2002

### **Undergraduate and Graduate Education:**

- Master of Science, Electrical Engineering  
New Jersey Institute of Technology, Newark, New Jersey, 2002
- Bachelor of Science, Electrical Engineering  
New Jersey Institute of Technology, Newark, New Jersey, 2000

**Major:** Electrical Engineering

To my beloved family



## **ACKNOWLEDGMENT**

I would like to express my deepest appreciation to Dr. Edip Niver, my research advisor, for his valuable and countless resources, insight, encouragement and reassurance, and unwavering support of my research as well as all aspects of my education. I would also like to express my gratitude to the members of the New Jersey Department of Transportation for supporting my research financially, as well as Thomas Batz of Transcom, for lending his expertise. I would like to forward my special thanks to Dr. Alexander Haimovich, Dr. Gerald Whitman, and Thomas Batz for actively participating in my committee. I would also like to thank Professor Alain Kornhauser of Princeton University and Luis Tumialan for lending equipment vital for research.

I would also like to take the opportunity to thank Jessica Brown, for constant support and encouragement during my research and writing. I would also like to thank all my instructors and colleagues at the New Jersey Institute of Technology for inspiring me to continue my education, and for providing me with valuable tools with which to do so.

## TABLE OF CONTENTS

<b>Chapter</b>	<b>Page</b>
1 INTRODUCTION .....	1
1.1 Objective .....	1
1.2 Background .....	2
2 HIGHWAY ADVISORY RADIO (HAR) SYSTEMS .....	6
2.1 The State-of-the-Art .....	6
2.2 Basic Transmitters .....	7
2.2.1 Basic Transmitter Options .....	7
2.2.2 Basic Transmitter Vendors .....	8
2.3 Mobile Transmitters .....	10
2.3.1 Mobile Transmitter Options .....	11
2.3.2 Mobile Transmitter Vendors .....	12
2.4 Advanced Transmitters .....	13
2.5 Services .....	15
2.6 Vendor Pricing .....	16
3 HAR COVERAGE ZONES .....	18
3.1 HAR Coverage Determination .....	18
3.2 Test Equipment .....	18
3.3 Test Software .....	21
3.4 HAR Stations in New Jersey .....	23
3.5 HAR Coverage Map .....	24

**TABLE OF CONTENTS**  
**(Continued)**

<b>Chapter</b>	<b>Page</b>
4 RESULTS AND CONCLUSIONS .....	28
4.1 Current Implementation of HAR Systems in New Jersey .....	28
4.2 New Jersey Turnpike HAR Systems .....	30
4.3 New Jersey Department of Transportation Transmitters .....	32
4.4 Other Transmitters .....	33
4.5 Recommendations for Future HAR Implementations in New Jersey .....	35
4.6 Other HAR Related Recommendations .....	38
4.6 Conclusions .....	40
APPENDIX A Test Data .....	41
A.1 07031.TXT Data .....	41
A.2 07281.TXT Data .....	43
A.3 07301.TXT Data .....	44
A.4 07302.TXT Data .....	45
A.5 07311.TXT Data .....	46
A.6 08011.TXT Data .....	48
A.7 08021.TXT Data .....	49
A.8 08031.TXT Data .....	50
A.9 08032.TXT Data .....	51
A.10 08033.TXT Data .....	51

**TABLE OF CONTENTS**  
**(Continued)**

<b>Chapter</b>	<b>Page</b>
A.11 08061.TXT Data .....	52
A.12 09041.TXT Data .....	54
A.13 09042.TXT Data .....	55
A.14 09051.TXT Data .....	56
A.15 09052.TXT Data .....	57
A.16 09053.TXT Data .....	57
A.17 09054.TXT Data .....	58
APPENDIX B HAR Coverage Maps .....	60
REFERENCES .....	77

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
3.1 Tested HAR Stations .....	23
3.2 Minimum SNR for Adequate Reception .....	25

## LIST OF FIGURES

<b>Figure</b>	<b>Page</b>
2.1 Typical Transmitter Block Diagram .....	6
2.2 Typical Basic Transmitter .....	7
2.3 Typical Mobile HAR Transmitter .....	11
3.1 Equipment Block Diagram .....	19
3.2 Antenna .....	20
3.3 Computer and Analyzer .....	20
3.4 Software Main Screen .....	21
3.5 Software Flow Chart .....	22
3.6 Sample Map of GSP Exit 98 .....	26
4.1 New Jersey HAR Transmitters: Coverage and Population Density .....	29
4.2 Current and Suggested HAR System Sites .....	36
B.1 Seven Transmitters on the New Jersey Turnpike .....	60
B.2 Garden State Parkway Exit 98 .....	61
B.3 I-80 at I-287 .....	62
B.4 I-80 at Allamuchy .....	63
B.5 NJ-4 at NJ-17 .....	64
B.6 Two Transmitters on I-80 at US-46 and NJ-23 .....	65
B.7 US-1 at I-287 .....	66
B.8 I-95 and I-80 at George W. Bridge .....	67
B.9 New Jersey Turnpike Exit 16W .....	68

**LIST OF FIGURES**  
**(Continued)**

<b>Figure</b>	<b>Page</b>
B.10 US-1 at I-295 .....	69
B.11 Newark International Airport .....	70
B.12 New Jersey Turnpike Exit 14B .....	71
B.13 New Jersey Turnpike Exit 11 and Ocean Beach on Route 36 .....	72
B.14 I-295 Transmitter in Carneys Point Near Delaware Memorial Bridge .....	73
B.15 Wilmington, DE Bleedover onto I-295 .....	74
B.16 Atlantic City Expressway at Pleasantville Toll Plaza .....	75
B.17 MAGIC Transmitters Along I-80 Corridor .....	76

# **CHAPTER 1**

## **INTRODUCTION**

### **1.1 Objective**

The objective of this report is to investigate the current and future implementations of Highway Advisory Radio (HAR) systems within the state of New Jersey. Potential benefits of HAR systems are summarized considering state-of-the-art options of various configurations. All operational HAR systems in New Jersey were identified, their coverage zones were quantitatively characterized in terms of Signal to Noise Ratio (SNR) at the receiver. RF performance of tested HAR systems was then compared to a subjective qualitative audio reception standard. Detailed maps of systems tested are presented containing RF performance data. HAR systems operational in other states were identified and key aspects were outlined. The major HAR equipment vendors were contacted and their current capabilities and offerings were identified. Finally, suggestions in terms of new HAR installations as well as improvements and changes in some existing systems for the state of New Jersey are recommended

HAR systems, their potential benefits, and their current implementations in various states are summarized. Federal Communications Commission (FCC) regulations pertaining to HAR system licensing and operation are also included. Chapter 2 addresses technical characteristics of current HAR systems, offerings by various vendors, and comparative pricing of different systems. Chapter 3 describes the experimental setup used for Radio Frequency (RF) characterization of current HAR systems in New Jersey. Experimental



results corresponding to signal strength along the intended routes are presented for all operational HAR systems. Operational procedures for these systems are summarized. Frequency interference and coordination issues for HAR systems such that similar systems operated by different agencies can co-exist within the state will be discussed in Chapter 4. Suggestions for a future implementation of HAR systems in the state of NJ considering the availability of various options will also be made.

## **1.2 Background**

By the 1970's, it became evident that traffic would become more of a problem every year. With increased numbers of motorists, the importance of disseminating information concerning delays, construction areas, and other hazards on the road became ever more important to ease congestion and to increase safety. It was clear that the easiest way to reach the largest possible audience was to utilize the commonly used commercial AM/FM broadcast receiver present in motorists' vehicles. In 1977, the FCC allocated two frequencies, 530 and 1610 kHz for HAR applications. Since then, the FCC, under Part 90.242 of its Rules and Regulations, has authorized local and state governments to broadcast information on any open AM band between 530 and 1700 kHz. The FCC limits broadcast power of HAR transmitters to ten watts with a maximum field strength of 2 mV/m at 1.5 km from the antenna, and limits the tip of the antenna to a maximum of fifteen meters off the ground. Additionally, the HAR station must operate as secondary to any commercial radio stations in the area, and must not interfere with such stations [1]. With these rules in place, the average HAR transmitter signal can reach a receiver three to five miles away [2].

However, the FCC does not limit the number of stations, hence a larger area can be covered by multiple transmitters.

Although the basic idea of HAR has remained intact throughout the years, recent advances in electronics and refinement of operating procedures have changed the way HAR is utilized. These innovations have made significant advances in the way the HAR systems are managed, and have improved the quality of the service. Some of these advancements are outlined below:

- Wired and wireless access to change messages
- Digital recorders to store received messages
- Novel circuitry to eliminate noise and improve message quality
- Centralized operation using computer control
- Remote diagnostic capabilities to expedite troubleshooting
- Solar powered operation to reduce installation and maintenance costs
- Mobile units to respond to emergency incidents
- Synchronization between adjacent stations to eliminate co-channel interference
- Advanced antenna options for site specific needs
- Better ground plane systems for more efficient operation at the antenna sites
- Flashing signs and messages for alerting motorists

The purpose of Highway Advisory Radio was originally, and still is, to disseminate critical traffic and emergency information to motorists. Although the FCC has allocated the AM radio band to HAR, other means of disseminating information to a wide motorist audience using advisory radio exist. For example, other possibilities also considered for the

state of New Jersey include: purchasing two commercial radio stations for state wide coverage, low power FM stations, and low power, localized, AM band HAR stations. There are advantages and disadvantages for these options. For the purchasing of statewide commercial radio stations, the main advantages include the centralizing of the system management, operation, and data collection. Real time data can be effectively disseminated over a wide area to the public and the public needs to know only the frequency of this one station to receive information about any roadway or transportation system within the state. Disadvantages include the high cost of purchasing and operating such stations, determining the usage of the station during off-peak hours, and, for the public, having to listen to information for the entire state when they are interested in only one specific roadway or area.

Low power FM stations might be the distant future of HAR if it were not for the saturation of the band by commercial stations in New Jersey. The FCC is currently implementing rules for such stations for HAR purposes, however, licensing will be competitive, and waiting periods are long. The other disadvantage of low power FM is that it requires 150 watts broadcast power to cover approximately the same area as a 10 watt AM HAR station [2]. Therefore, solar power would not be feasible.

Low power AM radio transmitters are commonly used for non-profit organizations or advertising real estate. They have a very limited range of approximately a quarter of a mile [3]. However, they do not require a license and are very inexpensive.

Highway Advisory Radio has been successfully implemented in many other states, including Minnesota, which instead of using multiple low power transmitters, has partnered with Minneapolis Public Schools, and broadcasts traffic information on a high power public


radio station on the FM band during peak travel hours and emergencies, and Jazz music during off peak hours [4]. California has merged HAR with an advanced Intelligent Transportation System (ITS), where the roadway is monitored via cameras and sensors. ITS operators disseminate this information via HAR, telephone, television, and are currently researching FM subcarrier technology [5]. FM subcarrier transmission would utilize unused bandwidth of commercial radio stations, however requires use of a special receiver not yet commonly available for the general public's use. Rhode Island uses a total of four HAR transmitters on all major interstate corridors, and many state routes [6]. The state of Illinois uses HAR transmitters that use synthesized voice transmitters, where operators need only to type messages. Additionally, the system accepts data from highway sensors, and changes messages automatically based on road conditions [7]. Montgomery County in Maryland runs a cable television station that broadcasts traffic information, and uses twelve HAR transmitters near interstate highways that cover ten percent of the county's land area [8].

## CHAPTER 2

### HIGHWAY ADVISORY RADIO (HAR) SYSTEMS

#### 2.1 The State-of-the-Art


Current options in Highway Advisory Radio (HAR) equipment range from basic units to the state-of-the-art. Transmitters range from \$5,000 units to practically limitless possibilities of various options. Although there are many configurations for HAR transmitters, most share the basic block diagram as shown in Figure 2.1.



**Figure 2.1** Typical Transmitter Block Diagram

## 2.2 Basic Transmitters

One group of Highway Advisory Radio transmitters is the basic, or economy group. These fixed transmitters are pole-mounted, with buried ground systems and cannot easily be moved once they are installed. Furthermore, licensing of a fixed transmitter requires field strength maps for its proposed location. They are well suited for high volume corridors, large highway intersections, and identified problematic areas of highways. They can also be installed near complicated highway intersections and ramps where people are likely to become confused. A typical basic transmitter is shown in Figure 2.2.



**Figure 2.2** Typical Basic Transmitter [2]

### 2.2.1 Basic Transmitter Options

Basic HAR transmitters come in a variety of forms, with a variety of options. Digital recording is standard on all modern units. This means that the transmitted audio is stored in digital format, usually flash memory or some other zero moving part device. This has advantages over analog storage in terms of improved reliability and audio quality. Most transmitters are capable of ten watts transmitting power, the maximum output power for

HAR permissible by the FCC. However, some manufacturers claim that excess transmitting power yields improved reliability and so offer higher power units such as 30 watts capable transmitting power.

The National Oceanic and Atmospheric Administration (NOAA) broadcasts weather information which can be received by some HAR transmitters and automatically repeated on the AM band when there is a weather emergency. Another option is to operate multiple transmitters in unison, i.e., a synchronized system. This allows multiple ten watt transmitters to cover a large area with overlapping, but not interfering signals. Other common options on basic HAR transmitters include: a cellular phone, so that a land line telephone is not required, battery backup, so that the transmitter can transmit for hours in the event of power outages, and solar panels, which permit installation with no electrical connection. Touch tone controls allow easy message checking and changing from any telephone. Without these options, however, it is possible to find a complete transmitter for approximately \$5,000. Most vendors also provide turnkey installation for an additional cost.

### **2.2.2 Basic Transmitter Vendors**

#### **LPB Communications, Inc. [3]**

##### ***Classic Fixed Highway Advisory Radio Transmitter***

- Digital Recording
- Capable of 30 Watt Operation

Options:

- Synchronized Systems

### **Highway Information Systems [9]**

#### ***Highway Max***

- Digital Recording
- Battery Backup

Options:

- Computer Control
- Solar Power
- Cellular Phone

### **Information Station Specialists [2]**

#### ***Traveler's Information Station***

- Digital Recording

No options.

#### ***Alert AM***

- Superior Digital Recording
- Automatic NOAA Weather Information
- Pre-recorded Messages can be automatically played by external interrupts



**Transportation Intelligence, Inc. [10]*****Stationary Highway Advisory Radio Transmitter***

- Digital Recording
- 10 Watt Power

**Options:**

- Battery Backup
- Solar Power
- Cellular Phone.

**2.3 Mobile Transmitters**

Fixed transmitters offer inexpensive solutions to troublesome areas of the highway, however, mobile transmitters offer the most flexibility with positioning transmitters. These transmitters can be hitched to most official vehicles, including police vehicles, and can be towed to the scene of accidents, construction areas, events, or other places where disseminating information to drivers in the area will alleviate congestion and stress, and also enhance safety. Adequate and timely information will ease congestion by allowing drivers the option to take alternate routes. Licensing of mobile HAR transmitters is usually done on the state wide level, and the usual field strength analyses can be avoided. Most vendors will assist with licensing arrangements, and these units can be in service within five minutes after being towed to their destination. The disadvantage of mobile transmitters is that portable signs alerting the public to their presence must also be brought to the area. Figure 2.3 shows a typical mobile transmitter.



**Figure 2.3** Typical Mobile HAR Transmitter [9]

### **2.3.1 Mobile Transmitter Options**

Mobile HAR transmitters come with few options. As it is unlikely power can be found nearby, solar power is usually standard. Additionally, solar power is desirable because then a generator need not be carried with the unit. Mobile transmitters come with two types of antenna systems: frequency agile or dual antenna. Frequency agile means that the transmitter is easily tunable and can be operated at any frequency in the AM range. Dual antenna systems can operate at either low or high frequencies and are factory tuned. Computer control allows the same mobile transmitter to receive new messages by remote computer, and thus be part of a network of transmitters, or part of an Advanced Transportation Management System (ATMS).

### **2.3.2 Mobile Transmitter Vendors**

#### **Highway Information Systems** [9]

##### ***Solar Max***

- Solar Power
- 2 Complete Transmitters and Antennas for High and Low Frequency Operation
- Cellular Phone

Options:

- Computer Control

#### **Information Station Specialists** [2]

##### ***RoadRunnR***

- Solar Power
- Frequency Agile
- Cellular Phone
- Licensing, Delivery, and On-Site Training Included

Options:

- Double Recording Time

#### **Transportation Intelligence, Inc.** [10]

##### ***Mobile Highway Advisory Radio Transmitter***

- 2 Complete Transmitters and Antennas for High and Low Frequency Operation
- Cellular Phone

- Touch-Tone Controls

Options:

- Solar Power

## **2.4 Advanced Transmitters**

Although the above systems work well alone at intersections and problem areas, a state-of-the-art Advanced Transportation Management System (ATMS) requires state-of-the-art HAR transmitters. The economy transmitters require that someone call up the cellular phone on the unit itself and speak the new message onto the transmitter. The transmitter will then repeat the message until the message is once again changed. For a large system of HAR transmitters, changing messages can easily become someone's full time job. Also, messages may not be changed back to standby information messages after the problem is cleared, and people will start to lose interest in the HAR system and stop listening. The same problem can be said about HAR sign controllers. To alleviate these issues, advanced Highway Advisory Radio transmitters and systems have been developed that automate and organize message placement. This class of transmitters is very broad, available with many different options, and is usually custom built by the vendor to customer specifications. Such systems can digitally upload messages to transmitters, store pre-recorded messages on file, or even automatically change messages when interrupts, such as road loop detectors, sense stalled traffic. Below some prepackaged offerings from vendors are summarized.

**Highway Information Systems [9]*****DR2000 and DR2000D***

- Centralized Computer Controller
- TCP-IP “Internet” Control
- Up to 50 Station Control
- Analog and Fully Digital Versions Available
- Software Only

***Black Max***

- Modular Highway Advisory Radio Transmitter
- Digital Recording
- Upgradable
- Weather Information
- Compatible with DR2000

**Information Station Specialists [2]*****ITS.6000***

- Intelligent Highway Advisory Radio Network
- Computer Controlled HAR Network
- Can Synchronize Multiple HAR Transmitters

**Options:**

- Flashing Signs

- Extra High Signal Strength Antenna System
- Digital Transfer of Messages

## **2.5 Services**

All reputable vendors of HAR equipment provide some technical services, and some provide a complete service, including licensing of transmitters and site planning. Below are some examples of services provided, with pricing information provided in Section 2.6.

### **Highway Information Systems [9]**

- Turnkey Installation including:
  - Licensing of HAR station
  - On-site installation
  - Equipment Training
- Full Technical Services including:
  - FCC Frequency Search
  - On-site Repair and Training

### **LPB Communications, Inc. [3]**

- Turnkey Installation
- TIS/HAR Licensing

**Transportation Intelligence, Inc.** [10]

- Turnkey Installation
- System Planning and Consulting

**Information Station Specialists** [2]

- Site Choice and Frequency Monitoring Service
- Frequency Search and FCC Licensing Assistance
- On-site Training

**2.6 Vendor Pricing****LPB Communications** [3]***Classic Fixed Highway Advisory Radio Transmitter***

\$5,000 - \$9,000, \$20,000 for complete system with turnkey installation

FCC TIS/HAR Licensing and Engineering Services

\$1,000

**Highway Information Systems** [12]***Highway Max***

\$25,000 - \$30,000

***Solar Max***

\$45,000

***DR2000 and DR2000D***

\$25,000 for 1 server and 5 workstation license

**Information Station Specialists [11]*****Traveler's Information Station***

\$10,000 - \$12,000 with turnkey installation

***Alert AM***

\$15,000 - \$17,000 with turnkey installation

***RoadRunnR***

\$24,995 + \$1,240 for 2X recording time

***ITS.6000***

\$13,326 - \$30,765 for 1 station + \$1,495 for software

**Transportation Intelligence, Inc. [10]*****Stationary Highway Advisory Radio Transmitter***

\$9,335 - \$17,245

***Mobile Highway Advisory Radio Transmitter***

\$35,500 - \$39,995.

Turnkey Installation

\$3,575.



## **CHAPTER 3**

### **HAR COVERAGE ZONES**

#### **3.1 HAR Coverage Determination**

By determining the geographical areas and broadcast frequencies of current HAR coverage, areas requiring additional coverage can be identified, and frequencies at which they would not interfere with one another can be determined. Additionally, areas with coverage that were previously not expected can be discovered, and detailed information regarding that coverage zone can be utilized to modify and expand the locations of HAR signs notifying the public of their broadcast.


Unfortunately, detailed maps of HAR coverage zones do not exist for the state of New Jersey. While all agencies owning fixed HAR transmitters are required to file field strength contour maps at the time of licensing, these maps give only field strength data, and are usually estimations generated prior to installation of the station. Therefore, they are not based on actual measurements. In order to generate meaningful maps of HAR coverage zones, it is also important to take into account the ability of motorists' vehicles to receive the transmitted message.

#### **3.2 Test Equipment**

It was determined that the optimal way to collect information concerning coverage zones was to install equipment in a test vehicle and then drive it on major roads around HAR stations. The equipment was used to record the Signal to Noise Ratio (SNR) of all HAR stations


operated by various state agencies. To facilitate the data collection, software was written in LABVIEW on a PC compatible laptop computer, whose purpose was to control the hardware, and to collect data from the equipment.

The equipment used was an Anritsu spectrum analyzer type MS710D and a Travroute CoPilot 2000 Global Positioning Satellite (GPS) receiver. Data from these two sources was then collected by custom software on the laptop computer. The spectrum analyzer was connected to the computer via a National Instruments PCMCIA GPIB card, while the GPS unit was connected by serial link and powered by the laptop through the PS2 port. The spectrum analyzer was connected to a custom built, 72 inch monopole antenna mounted to the roof of the test vehicle. All of this equipment was powered by a 400 watt static inverter connected to the battery of the vehicle. Figure 3.1 shows a block diagram of the equipment used for the tests.




**Figure 3.1** Equipment Block Diagram

The antenna itself is a 72 inch long, 1/4 inch diameter steel rod fitted to a bolt that screws in to the mount. Due to its thickness, it remains almost entirely vertical even at highway speeds, however, requires a strong mount to resist aerodynamic forces. The antenna bracket was custom made, and is able to be attached or removed from the vehicle in under five minutes. It has two ground straps to connect it to the vehicle chassis. It was found that the bracket could easily support the antenna traveling over 60 mph. A coaxial cable then connects the antenna to the spectrum analyzer. As seen in Figure 3.2, the GPS unit (white, flat, circular device on roof of vehicle) was placed on top of the vehicle, as it needs to have direct access to the sky for proper reception. Figure 3.2 below shows the GPS unit, antenna bracket, and connections, while Figure 3.3 shows the spectrum analyzer and computer.




**Figure 3.2** Antenna



**Figure 3.3** Computer and Analyzer

### 3.3 Test Software

Custom software was written for this test, including drivers for both the GPS and the spectrum analyzer, as none were available. The software was written in a data flow language called LABVIEW. A screen shot of the main screen is shown in Figure 3.4.




**Figure 3.4** Software Main Screen

The manner in which the software operates is as follows. First, the spectrum analyzer is set up as specified on the main screen at time of startup. After this is done, the software enters a loop, where, step one checks the spectrum analyzer to see if settings have changed since the last iteration, and adjusts as needed. Step two acquires a data point from the analyzer using one of the four techniques selected by the user. Step three acquires geographical coordinates from the GPS unit along with the current date and time. The final step before repeating the loop logs the data from both sources into the specified file. With the configuration used for the test, data points were acquired every 24 seconds. 3093 valid

data points were collected in the state, requiring more than 1800 miles of driving.

Figure 3.5 shows a flow chart of the software's functions.



**Figure 3.5 Software Flow Chart**

The software was written with multifunction in mind, and testing can be done on significantly higher frequencies, simply by changing software settings. Thus, the same software and equipment can measure SNR of almost any transmitting system. This feature made it especially easy to change frequencies when measuring stations broadcasting on different frequencies. An additional feature was added to the software to compensate for temperature drifts and miscalibration of the spectrum analyzer. This feature allows the operator to quickly compensate for such changes every day and get the most accurate readings.

### 3.4 HAR Stations in New Jersey

Twenty-three HAR transmitters in New Jersey operated by various agencies were tested. Additionally, a station broadcasting from Wilmington, Delaware was also studied. The data

for stations is contained in individual files. Some runs contain information for several transmitters broadcasting on the same frequency. Table 3.1 shows the tested stations, frequencies, call signs, locations, and raw data filenames.

Township	Frequency	Call sign	Location	File
<b>New Jersey Turnpike Authority</b>				
Carneys Point	1610 kHz	WPEI435	Exit 1	07031.TXT, 09051.TXT
Bellmawr	1610 kHz	WPEI435	Exit 3	07031.TXT, 09051.TXT
Mount Laurel	1610 kHz	WPAS758	Exit 5	07031.TXT, 09051.TXT
Bordentown	1610 kHz	KPB688	Exit 7	07031.TXT, 09051.TXT
Jamesburg	1610 kHz	WPAS758	Exit 8A	07031.TXT
Woodbridge	1610 kHz	WPFQ441	Exit 11	07031.TXT, 09042.TXT
Elizabeth	1610 kHz	WPAS758	Exit 13A	07031.TXT
Jersey City	0590 kHz	WPFQ980	Exit 14B	09041.TXT
North Arlington	1610 kHz	WNWN396	Exit 16W	08032.TXT
Fort Lee	0590 kHz	WPFQ979	I-95 North of Exit 18W	08031.TXT
<b>New Jersey Department of Transportation</b>				
Parsippany	0530 kHz	KNNI707	I-80 at I-287	07301.TXT
Paramus	0530 kHz	KNNI707	NJ-4 at NJ-17	07311.TXT
Elmwood Park	0530 kHz	KNNI707	I-80 at NJ-17	07311.TXT
Totowa	0530 kHz	KNNI707	I-80 at US-46 and NJ-23	08011.TXT
Parsippany	0530 kHz	KNNI707	I-80 at I-280	08011.TXT
Allamuchy	0530 kHz	WNPX698	I-80 at Allamuchy	07302.TXT
Edison	1340 kHz	WPKM210	US-1 at I-287	08021.TXT
Lawrence	1380 kHz	WPKM210	US-1 at I-295	08033.TXT
Carneys Point	0830 kHz	WPKN262	I-295 near Delaware	09052.TXT
<b>Garden State Parkway</b>				
Wall	1610 kHz	WQO799	Exit 98	07281.TXT
<b>Port Authority of New York and New Jersey</b>				
Newark	0530 kHz	WNDF923	Newark Airport	08061.TXT
<b>Union Beach, Sandy Hook</b>				
Union Beach	1610 kHz	WPIJ669	NJ-36 and Sandy Hook	09042.TXT
<b>Atlantic City Convention Center and Visitor's Authority</b>				
Pleasantville	1610 kHz	WPIR381	ACE Toll Plaza	09054.TXT
<b>Delaware Department of Transportation</b>				
Wilmington, DE	1380 kHz	KPKW685	Near DE Mem. Bridge	09053.TXT

**Table 3.1** Tested HAR Stations

A Traveler's Information Station (TIS) owned and operated by Rutgers University and a not yet operational HAR system in Monmouth Beach were not surveyed. A naming schedule based on the date of the test, and a sequential number for that day was used for file names. Thus, the first transmitter(s) tested on 07/03, would be given a file name of 07031.TXT for the data file, and 07031.SET for setup information for that run. The next test that day would be 07032.TXT and 07032.SET, respectively.

Computer generated data is attached as Appendix A of this thesis. The data is organized as a series of entries, one for each data point, separated by a carriage return. Individual data points are represented as a collection of entries, comma delimited. The first entry is the number of the data point. The second and third entries are the latitude and longitude, respectively. The final entry is the marker level, or SNR, in decibels. The .SET files contain information of the start and stop times of the runs, and also the broadcast frequency. These files are attached before each data set in Appendix A.

### **3.5 HAR Coverage Map**

In order to plot the data from the stations in Table 3.1 meaningfully, the data from the spectrum analyzer needs to be matched to real world parameters. Using the vehicle's AM/FM radio, the operator listened to the HAR station being testing and subjectively determined the minimum SNR that the audio signal could be properly received. It was found that the level depended on a variety of factors, such as the day, frequency, and location of the test. However, most transmitters were found to have a minimum SNR for adequate reception in the range of 15-19 dB. Data in the file 07031.TXT was found to be 10 dB because a

smaller, less sensitive antenna was used for the test, and 08032.TXT is 23 dB since that transmitter interferes considerably with a commercial broadcasting station. Data for the minimum SNR for adequate reception is listed in Table 3.2.

<b>File Name</b>	<b>Decibels</b>
07031.TXT	10 dB
07281.TXT	16 dB
07301.TXT	18 dB
07302.TXT	13 dB
07311.TXT	18 dB
08011.TXT	18 dB
08021.TXT	18 dB
08031.TXT	16 dB
08032.TXT	23 dB
08033.TXT	17 dB
08061.TXT	15 dB
09041.TXT	16 dB
09042.TXT	17 dB
09051.TXT	18 dB
09052.TXT	16 dB
09053.TXT	19 dB
09054.TXT	16 dB


**Table 3.2** Minimum SNR for Adequate Reception

Using a mapping software called ESRI ArcView, the data from Appendix A was mapped onto road maps with data shown as colored dots. The color of the dot represents the intensity of the signal at that point. Yellow represents points where the station was not receivable, green shades indicate a gray zone where the signal may or may not have adequate reception based on individual vehicle's equipment. Blue shades represent clear reception. Appendix B contains the full color maps for each file. It is important to note that areas in green cannot guarantee that vehicles will be able to receive the signal, as it is dependent on



parameters such as past and current weather, time of the day, and the vehicle's radio quality.

A sample map of the Garden State Parkway near Exit 98 is shown in Figure 3.6.



**Figure 3.6** Sample Map of GSP Exit 98

It was determined that the expected three to five miles radius for an HAR station is generally higher than experimental data obtained in the state of New Jersey demonstrates. This is most likely due to heavy interference, many overhead wires, and poor grounding. Most transmitters transmitted adequate quality audio to two to four miles from the station, one as high as six to seven, and one was hardly a mile. Therefore, it is very important to properly plan HAR sites, paying especially close attention to overhead wires and grounding. The station in North Arlington, 08032.TXT, was interfering with a commercial radio station,

preventing essentially any intelligible audio from being heard. This condition is not permitted as defined by FCC regulations prohibiting HAR stations from interfering with commercial stations. Therefore, it is important to properly survey proposed new sites, and continually monitor existing sites for possible interference from new or existing commercial stations.

## CHAPTER 4

### RESULTS AND CONCLUSIONS

Existing Highway Advisory Radio (HAR) systems in New Jersey were identified. The coverage zones were mapped out using signal to noise ratio measurements combined with GPS equipment data. These measurements were compared qualitatively to standard AM reception to identify the coverage zones more adequately.

State-of-the-art hardware in HAR systems was identified, contacts were established with vendors and system integrators for information regarding pricing and availability of various options. Based on the outcome of HAR signal characterization tests in the in the state of New Jersey, candidate locations for future implementations were suggested.

#### **4.1 Current Implementation of HAR Systems in New Jersey**

A total of 24 HAR transmitters, of which 23 are in the state of New Jersey, were tested. Two additional transmitters were not included in this testing, one is Rutgers University's Traveler's Information System (TIS) and the other, in Monmouth Beach, which is not yet operational. Ten transmitters subjected to testing are owned and operated by the New Jersey Turnpike Authority, nine by the New Jersey Department of Transportation (NJDOT), and five by other regional authorities. Five NJDOT transmitters are operated as part of a traffic management program called MAGIC. These transmitters, located along the I-80 corridor, transmit synchronized messages to cover a larger area than possible with individual transmitters. Those transmitters all use the common station identification "KNNI707."




Figure 4.1 New Jersey HAR Transmitters: Coverage and Population Density

Figure 4.1 shows all 24 transmitters' coverage zones of adequate reception mapped against population density in New Jersey. Areas of blue indicate adequate reception quality, and darker shades of green background indicate higher population densities, whereas lighter shades indicate lower population densities.

#### **4.2 New Jersey Turnpike HAR Systems**

Ten HAR transmitters are located along the New Jersey Turnpike at fairly regular intervals. They are located approximately at Exits 1, 3, 5, 7, 8A, 11, 13A, 14B, 16W, and north of Exit 18. All the transmitters have strong signals with large coverage areas, with the exception of the transmitter at Exit 16W, which has very poor radiation characteristics due to interference with a commercial broadcasting station. All transmitters south of Exit 7A on the turnpike can also be received on I-295.

The coverage zone of the HAR transmitter located near I-80 is shown in Figure B.8 of Appendix B. The HAR transmitters located in the southern region of the New Jersey Turnpike have their coverage zones shown in Figure B.1. Coverage zones in Figure B.9 and B.12 correspond to HAR transmitters located at Exits 16W and 14B, respectively. The minimum SNRs required for adequate reception are listed in Table 3.2. Minimum Signal to Noise Ratio for adequate reception depends on a variety of parameters, such as frequency, interference, and temperature. However, the test run 07031.TXT has an unusually low minimum SNR of 10, which is due to using a smaller, less sensitive antenna that was used initially. This antenna was replaced with a better electrically matched, and mechanically robust antenna in subsequent tests.

The HAR transmitter located near Exit 1 of the New Jersey Turnpike is actually located at the service area near the exit. The transmitter's coverage nearly includes the Delaware Memorial Bridge, however, proper reception is limited to a short section of I-295. The coverage zone of the HAR transmitter at Exit 3 includes portions of I-295, but it is not adequate to be received well on either the Walt Whitman or Ben Franklin bridges leading to Philadelphia. The transmitter at Exit 5 has a range of about six miles in either direction along the Turnpike. The coverage zone of the HAR transmitter at Exit 7 is slightly lower, about five miles. The transmitter at Exit 11, can also be received very well along the Garden State Parkway. The transmitter at Exit 13A and the transmitter at Exit 11 form a continuous extended coverage area. However, they do not broadcast the same synchronized message and consequently interfere with each other in a very short segment (less than a mile) of the highway. The transmitter located at Exit 14B transmits a clear signal all the way over the Pulaski Skyway, however, those areas of Routes 1&9 that run under other highways cannot receive the HAR signal, and no data for them exists, as the GPS receiver unit could not get a fix on the position during the test. The transmitter located at Exit 16W has very poor reception, likely due to interference from a commercial radio station broadcasting from New York City on the same frequency. The HAR transmitter north of Exit 18 broadcasts a strong signal that reaches all the way to I-80 near the George Washington Bridge, and can be well received by motorists on I-80, US-46, and NJ-4, but not on the Palisades Parkway, due to constraints in the geographical terrain.

### 4.3 New Jersey Department of Transportation Transmitters

The New Jersey Department of Transportation has a traffic management system called MAGIC, which synchronizes five transmitters along the I-80 corridor. These transmitters are located at the following locations: Paramus, Elmwood Park, Totowa, and two transmitters in Parsippany. These transmitters all broadcast the same message, and form a fairly continuous coverage zone. Coverage zones of HAR transmitters in the MAGIC program can be found in Appendix B, as Figures 3, 5,6, and 17. The HAR transmitter at I-80 and I-287, shown in Figure B.3, demonstrates fairly weak signal strength. However, Figure B.3 which shows the HAR transmitter coverage at I-80 and US-46, which are only four miles away, have a broader effective coverage zone with a clear signal. The transmitter in Elmwood Park works well together with the transmitter in Paramus, and these two transmitters cannot be differentiated on the map shown in Figure B.5. Their coverage reaches further south on the Garden State Parkway, however, due to interference, coverage on Route 17 is rather poor, especially south of NJ-4. Figure B.6 demonstrates clearly that two transmitters in Parsippany, located at NJ-23 and I-80, and at I-80 and I-280, are transmitting relatively strong signals, and have a coverage zone of about two miles each, but there is a zone of about one mile in between with relatively weak reception.

Another HAR transmitter located on I-80, is in western New Jersey at Allamuchy. This transmitter has a broadcast range of about two to three miles, but does not cover any major highway intersections. The measured data for this station is plotted in Figure B.4. Two HAR transmitters exist on US-1. The first is near the intersection of US-1 and I-287, as shown in Figure B.7, and has a good range of about four miles. Its coverage zone includes

intersections of the Garden State Parkway, US-1, I-287, and the New Jersey Turnpike, and can be well received on all these roads. The measured data plotted in Figure B.10 corresponds to the second HAR transmitter on US-1 and I-295 interchange, located near Trenton. This transmitter has a very good range of about five miles, and can be received well on I-295 and US-1. The final transmitter owned and operated by the New Jersey Department of Transportation is located in Carneys Point, on I-295 near Delaware. No HAR message could be received on this station, however an interfering commercial station was identified. Signal strength indicates the presence of a HAR transmission, however, no messages were encountered during testing. A map indicating the coverage zone of this transmitter can be found in Figure B.14.

#### **4.4 Other Transmitters**

The New Jersey Highway Authority which governs the Garden State Parkway, runs a HAR transmitter located near Exit 98, at the intersection of the Parkway and I-195. This location is also the intersection of other major roadways, including NJ-34 and NJ-18, and is near NJ-33. The coverage zone for this station extends to about a three mile radius. This transmitter's coverage zone is shown in Figure B.2, as seen, NJ-33 is not covered by this HAR

A HAR transmitter operated by the Port Authority of New York and New Jersey at the Newark International Airport, Figure B.11, provides airline passengers and airport personnel with vital parking information, as well as roadway construction and traffic



information. This transmitter operates at 530 kHz AM. Its range is about three miles, but covers many important roadways such as the Turnpike, US-1, US-22, and I-78.

Another HAR system has a transmitter located at the Pleasantville toll plaza on the Atlantic City Expressway which is operated by the South Jersey Transportation Authority in conjunction with the Atlantic City Convention and Visitor's Authority. It is essentially a Traveler's Information System (TIS) for Atlantic City, broadcasting traffic information as needed. The range of the signal is about four miles, higher in the direction of Atlantic City, most likely due to wetlands in that area. This map is shown in Figure B.16.

There is a HAR transmitter which is located in Union Beach, on NJ-36. This is essentially a TIS station for Sandy Hook National Recreation Area and is licensed to the borough of Union Beach. The measured data is mapped in Figure B.13. Note its proximity to the transmitter at Exit 11 of the New Jersey Turnpike at the Garden State Parkway.

Another transmitter of interest is located in Wilmington, Delaware, which has a significant coverage within New Jersey near I-295. The coverage zone of this station nearly reaches the Walt Whitman Bridge where interference from a commercial broadcasting station begins to suppress the HAR signal. This transmitter is shown in Figure B.15. Two transmitters located in New Jersey, but not studied are Rutgers University's TIS, which is dedicated to broadcasting university related information and local campus traffic conditions, and a new, but non-functioning transmitter in Monmouth Beach.

#### **4.5 Recommendations for Future HAR Implementations in New Jersey**

Traditionally, intersections of major highways experience higher volumes of traffic and are ideal locations for HAR installations. As can be observed in Figure 4.1, most of the populated regions in New Jersey with major highway intersections are adequately covered with existing HAR systems. The possible HAR transmitter locations are shown on a map in Figure 4.2, with a radius covering up to three miles. Potential sites are denoted as yellow circles.

When observing Figure 4.1, several areas that lack adequate HAR coverage may be noted. The intersections of I-78 with I-287 and with NJ-24 could become ideal locations to serve a large number of motorists. These highways are heavily traveled, and often congested. Additionally, coverage at these sites would provide the information necessary for motorists to take advantage of alternate routes in the region.

Also, coverage does not reach the intersection of I-195 with the New Jersey Turnpike. Although there is adequate coverage of the Turnpike at exits north and south of Exit 7A, their signals do not extend to motorists that need to make decisions on I-195. Two possible solutions to this problem exist. Either the transmitter at Exit 7 on the Turnpike could be moved about two to three miles north to encompass this region, or another transmitter could be installed for that site.




Figure 4.2 Current and Suggested HAR System Sites

A third recommendation would be to expand coverage of the region between the Walt Whitman, and Ben Franklin Bridges. One transmitter located between the bridges as shown in Figure 4.2 could possibly encompass both bridges. Currently there is no coverage at either of these bridges leading to Philadelphia, although the map shows that there is coverage nearby on the New Jersey Turnpike, the transmitter is located about six miles away. If both bridges cannot be covered by one transmitter, it would be recommended to place a transmitter at each bridge.

Another recommendation for a new transmitter could be at the Garden State Parkway and NJ-18 intersection. A new station at that location could also encompass NJ-33, which is not included in the coverage zone of a southern transmitter at Exit 98. The most logical and cost-effective solution for new transmitters would be to use basic transmitters. Such basic transmitters should be equipped with cellular phones for convenience, and if necessary, solar power. Additional options that should be considered are battery backup systems and also synchronized systems, particularly along the I-78 corridor and the Garden State Parkway.

Northern I-287 at the intersection of routes US-202 and NJ-23 has also been identified as a prime candidate for HAR coverage. One transmitter may be sufficient to cover both intersections. Another area in northern New Jersey that could benefit from HAR is the Palisades Interstate Parkway, near the George Washington Bridge. This heavily traveled corridor currently has no coverage, yet alternate routes to the George Washington Bridge offer various options for motorists.

The Garden State Parkway near Exit 140 intersecting US-22 is another frequently congested area that could benefit from HAR coverage. The nearest transmitter is at the Newark International Airport, broadcasting on 530 kHz AM. Care should be taken to ensure this transmitter would not interfere with any new stations.

Finally, two southern areas of New Jersey that have been identified for new systems are on the Atlantic City Expressway intersecting with US-206, and the Garden State Parkway and US-9 at NJ-72. The Atlantic City Expressway at US-206 is a major highway intersection, and NJ-42 is a viable alternate route for southbound travelers. NJ-72 sees significant summer beach traffic, and many alternate routes, including the Garden State Parkway, exist.

#### **4.6 Other HAR Related Recommendations**

Additional improvements, concerning the existing HAR systems, are recommended based on the findings of this project. These improvements can significantly improve the service of existing transmitters. Recommendations for operational HAR transmitters in New Jersey are detailed below.

The transmitters at interchange 16W of the New Jersey Turnpike and Carneys Point on I-295 have reduced coverage areas due to interference from local commercial stations. It is recommended to either move the location or change the operating frequencies of these stations in order to improve their coverage areas. It is also suggested that potential sites for new transmitters be properly surveyed to potential interference before installation.

The transmitters at I-80 in Allamuchy and at I-280 in Roseland have standard reflective signs. However, these signs do not have flashing lights to alert motorists of emergency information. Signs with flashing lights are operational at all other HAR locations and are vital in notifying motorists of any emergency information. Therefore, it is recommended that new signing with these flashing lights be installed in the coverage zones of these two transmitters. Also, many major and auxiliary roadways within the coverage areas of existing HAR systems, lack signs to alert motorists to the presence of these systems. By installing additional signs along these roadways, the efficiency of these HAR systems could be greatly improved.

To provide traffic information to the public, the agencies that operate these HAR systems and the agencies who are responsible for major and auxiliary roadways must work together. In northern New Jersey, this is accomplished through the work of TRANSCOM, a coalition of 16 transportation and public safety agencies in New Jersey, New York, and Connecticut. It is recommended that such coordination efforts be extended throughout the state.

Variable Message Signs (VMS) are also used within the state of New Jersey to relay traveler information and traffic data to motorists. It is recommended that the locations of these signs and the coordination of information on these signs and HAR systems be investigated to ensure that a consistent message is being relayed to the public. These signs are also particularly useful when used in conjunction with mobile HAR transmitters to alert the public of their presence.

Low powered HAR stations and the purchase of commercial radio stations were investigated in Section 1.2. The advantages and disadvantages of implementing these systems were discussed, however, future circumstances not discussed in this thesis may make these systems more advantageous to implement. Therefore, the future choice and consideration to use such systems, based on these findings, should be made by the operating agencies within the state.

#### **4.7 Conclusions**

The current state of Highway Advisory Radio systems in New Jersey was studied. All the existing HAR systems were identified and their coverage areas were quantified experimentally. The geographical map for this information was generated to depict the statewide HAR coverage. Current implementation of HAR in other states as well as state-of-the-art HAR hardware options including costs were investigated. Suggestions have been drawn recommending future implementations of HAR in New Jersey. Based on the experimental results, it has been determined that reasonable coverage exists for the state, however a few new implementations and changes to existing systems could help to reduce congestion and improve safety on New Jersey's highways.

## APPENDIX A

### TEST DATA

The following appendix contains raw data from the test software described in Chapter 3, as well as start and stop times for the respective tests. The data is mapped in Appendix B. The format for the data is as follows:

Entry,Latitude,Longitude,Level

Where Entry is the number of the data point, and Level is the Signal to Noise Ratio (SNR) of the tested HAR station. The data is organized into files, corresponding to the date and test run of that day.

#### A.1 07031.TXT Data

Logging started on: 07/03/01at 3:46:37 PM

Center Frequency: 1.610000E+3

Logging stopped on: 07/03/01at 4:32:46 PM

Logging started on: 07/03/01at 6:19:11 PM

Center Frequency: 1.610000E+3

Logging stopped on: 07/03/01at 8:05:06 PM

Entry,Latitude,Longitude,Level		
1,40.6920,-74.1615,22.800000	97,40.2709,-74.5088,6.550000	193,39.9079,-74.9795,12.050000
2,40.6870,-74.1650,23.500000	98,40.2658,-74.5108,7.350000	194,39.9036,-74.9837,10.850000
3,40.6830,-74.1677,23.850000	99,40.2606,-74.5128,7.100000	195,39.8991,-74.9881,10.800000
4,40.6782,-74.1711,33.400000	100,40.2557,-74.5147,5.100000	196,39.8947,-74.9925,9.750000
5,40.6737,-74.1748,29.850000	101,40.2506,-74.5175,3.550000	197,39.8903,-74.9967,11.000000
6,40.6691,-74.1793,36.300000	102,40.2458,-74.5218,3.450000	198,39.8864,-75.0009,12.700000
7,40.6646,-74.1834,36.850000	103,40.2421,-74.5269,2.550000	199,39.8857,-75.0022,14.200000
8,40.6596,-74.1868,41.100000	104,40.2387,-74.5329,2.850000	200,39.8861,-75.0023,14.850000
9,40.6551,-74.1908,29.100000	105,40.2355,-74.5385,3.700000	201,39.8860,-75.0024,12.750000
10,40.6519,-74.1965,29.900000	106,40.2324,-74.5440,2.200000	202,39.8860,-75.0023,12.700000
11,40.6483,-74.2022,26.800000	107,40.2290,-74.5497,1.650000	203,39.8860,-75.0023,12.750000
12,40.6436,-74.2051,24.250000	108,40.2252,-74.5553,1.800000	204,39.8860,-75.0023,13.050000
13,40.6389,-74.2079,21.900000	109,40.2215,-74.5606,3.550000	205,39.8857,-75.0026,13.550000
14,40.6339,-74.2109,20.400000	110,40.2177,-74.5661,1.500000	206,39.8837,-75.0035,13.600000
15,40.6290,-74.2140,22.600000	111,40.2141,-74.5713,3.850000	207,39.8799,-75.0071,13.450000
16,40.6240,-74.2170,22.900000	112,40.2109,-74.5761,4.300000	208,39.8762,-75.0122,14.500000
17,40.6188,-74.2202,8.150000	113,40.2074,-74.5811,4.200000	209,39.8732,-75.0179,17.400000
18,40.6138,-74.2233,19.650000	114,40.2037,-74.5865,2.550000	210,39.8705,-75.0246,17.700000
19,40.6090,-74.2261,22.650000	115,40.2001,-74.5917,4.750000	211,39.8680,-75.0312,17.100000
20,40.6040,-74.2292,17.800000	116,40.1965,-74.5969,6.850000	212,39.8663,-75.0379,20.200000
21,40.5992,-74.2328,18.000000	117,40.1932,-74.6018,5.800000	213,39.8650,-75.0452,25.950000
22,40.5944,-74.2356,18.350000	118,40.1907,-74.6060,5.950000	214,39.8637,-75.0525,27.350000
23,40.5894,-74.2384,18.100000	119,40.1874,-74.6119,5.750000	215,39.8625,-75.0595,29.500000



24,40.5845,-74.2415,17.400000  
 25,40.5798,-74.2448,16.650000  
 26,40.5752,-74.2486,21.300000  
 27,40.5707,-74.2529,17.950000  
 28,40.5666,-74.2568,19.850000  
 29,40.5622,-74.2611,21.900000  
 30,40.5578,-74.2656,29.450000  
 31,40.5539,-74.2706,30.600000  
 32,40.5505,-74.2762,29.650000  
 33,40.5475,-74.2817,35.250000  
 34,40.5452,-74.2878,42.700000  
 35,40.5437,-74.2944,51.050000  
 36,40.5423,-74.3012,43.000000  
 37,40.5414,-74.3078,34.950000  
 38,40.5399,-74.3150,29.000000  
 39,40.5378,-74.3218,25.100000  
 40,40.5349,-74.3278,26.500000  
 41,40.5311,-74.3335,22.550000  
 42,40.5276,-74.3395,7.200000  
 43,40.5248,-74.3456,24.650000  
 44,40.5222,-74.3520,21.800000  
 45,40.5200,-74.3575,16.100000  
 46,40.5172,-74.3631,18.950000  
 47,40.5137,-74.3682,17.100000  
 48,40.5097,-74.3728,13.600000  
 49,40.5055,-74.3776,14.650000  
 50,40.5013,-74.3822,12.550000  
 51,40.4972,-74.3868,8.300000  
 52,40.4930,-74.3915,11.500000  
 53,40.4888,-74.3963,12.250000  
 54,40.4846,-74.4008,10.850000  
 55,40.4798,-74.4045,5.950000  
 56,40.4750,-74.4081,9.350000  
 57,40.4702,-74.4112,2.350000  
 58,40.4652,-74.4143,10.300000  
 59,40.4601,-74.4173,10.950000  
 60,40.4554,-74.4201,5.550000  
 61,40.4507,-74.4229,5.200000  
 62,40.4457,-74.4258,2.250000  
 63,40.4411,-74.4286,7.300000  
 64,40.4363,-74.4320,5.700000  
 65,40.4316,-74.4354,7.500000  
 66,40.4271,-74.4390,8.300000  
 67,40.4224,-74.4427,9.750000  
 68,40.4179,-74.4456,11.950000  
 69,40.4129,-74.4484,8.950000  
 70,40.4076,-74.4504,8.100000  
 71,40.4022,-74.4524,11.350000  
 72,40.3970,-74.4545,16.000000  
 73,40.3915,-74.4568,16.950000  
 74,40.3860,-74.4590,18.900000  
 75,40.3808,-74.4611,21.150000  
 76,40.3756,-74.4632,25.050000  
 77,40.3705,-74.4653,14.350000  
 78,40.3655,-74.4673,27.100000  
 79,40.3605,-74.4694,32.750000  
 80,40.3554,-74.4718,33.800000  
 81,40.3501,-74.4744,38.850000  
 82,40.3453,-74.4763,46.300000  
 83,40.3402,-74.4785,39.250000  
 84,40.3348,-74.4808,30.350000  
 85,40.3297,-74.4831,28.250000  
 86,40.3249,-74.4852,25.600000  
 87,40.3201,-74.4873,25.250000  
 88,40.3152,-74.4894,21.800000  
 89,40.3108,-74.4913,20.200000  
 90,40.3059,-74.4935,17.400000  
 91,40.3010,-74.4956,15.400000  
 92,40.2959,-74.4978,16.250000  
 93,40.2908,-74.5000,15.000000  
 94,40.2860,-74.5022,10.400000  
 95,40.2809,-74.5044,10.000000  
 96,40.2758,-74.5067,8.050000  
 120,40.1840,-74.6179,7.800000  
 121,40.1807,-74.6237,10.200000  
 122,40.1776,-74.6294,11.350000  
 123,40.1744,-74.6349,11.550000  
 124,40.1714,-74.6402,11.950000  
 125,40.1679,-74.6454,14.050000  
 126,40.1643,-74.6503,13.500000  
 127,40.1606,-74.6549,15.750000  
 128,40.1568,-74.6596,14.550000  
 129,40.1530,-74.6643,18.050000  
 130,40.1494,-74.6689,19.750000  
 131,40.1456,-74.6737,22.650000  
 132,40.1418,-74.6785,25.300000  
 133,40.1382,-74.6830,27.400000  
 134,40.1343,-74.6878,33.850000  
 135,40.1305,-74.6926,35.100000  
 136,40.1269,-74.6971,41.150000  
 137,40.1231,-74.7019,48.150000  
 138,40.1193,-74.7066,41.650000  
 139,40.1156,-74.7111,32.700000  
 140,40.1116,-74.7155,22.300000  
 141,40.1076,-74.7195,25.750000  
 142,40.1034,-74.7237,26.400000  
 143,40.0992,-74.7279,19.000000  
 144,40.0950,-74.7320,12.800000  
 145,40.0910,-74.7360,19.450000  
 146,40.0869,-74.7403,20.100000  
 147,40.0831,-74.7446,16.850000  
 148,40.0791,-74.7496,15.850000  
 149,40.0755,-74.7545,15.100000  
 150,40.0717,-74.7594,16.000000  
 151,40.0682,-74.7641,11.200000  
 152,40.0645,-74.7690,10.500000  
 153,40.0609,-74.7739,9.400000  
 154,40.0577,-74.7790,8.400000  
 155,40.0545,-74.7848,7.250000  
 156,40.0512,-74.7908,4.150000  
 157,40.0481,-74.7965,4.250000  
 158,40.0445,-74.8022,4.000000  
 159,40.0406,-74.8074,5.100000  
 160,40.0364,-74.8118,5.400000  
 161,40.0319,-74.8163,6.200000  
 162,40.0277,-74.8206,4.350000  
 163,40.0233,-74.8251,10.650000  
 164,40.0188,-74.8296,9.200000  
 165,40.0144,-74.8341,12.050000  
 166,40.0102,-74.8385,11.450000  
 167,40.0064,-74.8440,13.600000  
 168,40.0034,-74.8502,13.250000  
 169,40.0009,-74.8564,18.200000  
 170,39.9979,-74.8626,16.150000  
 171,39.9942,-74.8681,21.400000  
 172,39.9906,-74.8733,19.900000  
 173,39.9871,-74.8790,24.050000  
 174,39.9839,-74.8851,30.050000  
 175,39.9810,-74.8909,37.400000  
 176,39.9774,-74.8966,42.450000  
 177,39.9733,-74.9015,39.950000  
 178,39.9689,-74.9061,37.600000  
 179,39.9648,-74.9106,27.800000  
 180,39.9606,-74.9156,30.400000  
 181,39.9566,-74.9206,29.300000  
 182,39.9527,-74.9255,25.750000  
 183,39.9487,-74.9306,22.400000  
 184,39.9448,-74.9359,20.800000  
 185,39.9411,-74.9410,19.800000  
 186,39.9371,-74.9461,19.550000  
 187,39.9330,-74.9511,18.150000  
 188,39.9290,-74.9558,11.300000  
 189,39.9249,-74.9608,14.350000  
 190,39.9208,-74.9658,15.200000  
 191,39.9168,-74.9706,14.700000  
 192,39.9124,-74.9751,13.700000  
 216,39.8612,-75.0668,34.100000  
 217,39.8599,-75.0741,44.450000  
 218,39.8587,-75.0811,46.250000  
 219,39.8574,-75.0884,37.600000  
 220,39.8559,-75.0956,31.700000  
 221,39.8536,-75.1021,15.750000  
 222,39.8504,-75.1083,26.100000  
 223,39.8464,-75.1137,24.850000  
 224,39.8425,-75.1188,20.050000  
 225,39.8384,-75.1240,17.150000  
 226,39.8343,-75.1293,13.850000  
 227,39.8304,-75.1345,9.600000  
 228,39.8269,-75.1404,7.650000  
 229,39.8240,-75.1465,2.250000  
 230,39.8210,-75.1528,3.200000  
 231,39.8180,-75.1592,2.750000  
 232,39.8151,-75.1653,4.500000  
 233,39.8121,-75.1717,3.850000  
 234,39.8090,-75.1781,3.700000  
 235,39.8061,-75.1842,4.100000  
 236,39.8030,-75.1906,3.300000  
 237,39.7997,-75.1966,2.950000  
 238,39.7964,-75.2023,3.250000  
 239,39.7933,-75.2079,3.500000  
 240,39.7901,-75.2136,4.300000  
 241,39.7868,-75.2196,4.600000  
 242,39.7834,-75.2255,4.750000  
 243,39.7801,-75.2313,4.900000  
 244,39.7768,-75.2372,4.600000  
 245,39.7734,-75.2431,4.600000  
 246,39.7702,-75.2489,4.300000  
 247,39.7668,-75.2548,4.250000  
 248,39.7633,-75.2605,3.950000  
 249,39.7599,-75.2661,4.500000  
 250,39.7564,-75.2719,5.050000  
 251,39.7528,-75.2777,4.300000  
 252,39.7495,-75.2833,4.250000  
 253,39.7460,-75.2892,4.250000  
 254,39.7425,-75.2949,4.550000  
 255,39.7391,-75.3005,4.350000  
 256,39.7356,-75.3063,4.650000  
 257,39.7321,-75.3121,5.000000  
 258,39.7287,-75.3176,5.150000  
 259,39.7252,-75.3235,5.150000  
 260,39.7223,-75.3299,4.750000  
 261,39.7195,-75.3359,4.350000  
 262,39.7166,-75.3423,7.850000  
 263,39.7137,-75.3487,9.900000  
 264,39.7110,-75.3549,11.850000  
 265,39.7086,-75.3615,11.900000  
 266,39.7062,-75.3682,19.400000  
 267,39.7039,-75.3746,21.500000  
 268,39.7016,-75.3814,24.450000  
 269,39.6994,-75.3882,30.850000  
 270,39.6973,-75.3951,39.500000  
 271,39.6953,-75.4016,46.450000  
 272,39.6932,-75.4085,34.700000  
 273,39.6911,-75.4154,30.650000  
 274,39.6898,-75.4223,24.100000  
 275,39.6887,-75.4295,13.350000  
 276,39.6875,-75.4367,17.950000  
 277,39.6867,-75.4437,15.600000  
 278,39.6856,-75.4508,14.450000  
 279,39.6838,-75.4578,6.350000  
 280,39.6825,-75.4643,10.100000  
 281,39.6816,-75.4692,8.150000  
 282,39.6809,-75.4726,6.050000  
 283,39.6798,-75.4782,6.250000  
 284,39.6791,-75.4849,6.600000  
 285,39.6798,-75.4911,7.150000  
 286,39.6817,-75.4963,4.350000  
 287,39.6838,-75.5023,8.500000  
 288,39.6857,-75.5080,14.000000

## A.2. 07281.TXT Data

Logging started on: 07/28/01at 8:14:15 PM

Center Frequency: 1.610000E+3

Logging stopped on: 07/28/01at 8:29:15 PM

Logging started on: 07/28/01at 8:33:35 PM

Center Frequency: 1.610000E+3

Logging stopped on: 07/28/01at 9:52:30 PM

Entry, Latitude, Longitude, Level

1,40.1018,-74.1388,3.950000	81,40.2190,-74.1224,6.850000	161,40.1689,-74.1316,18.750000
2,40.1054,-74.1363,5.200000	82,40.2186,-74.1169,6.750000	162,40.1702,-74.1254,19.850000
3,40.1105,-74.1336,5.450000	83,40.2181,-74.1110,2.850000	163,40.1699,-74.1188,27.850000
4,40.1153,-74.1301,7.300000	84,40.2176,-74.1060,5.900000	164,40.1697,-74.1121,31.050000
5,40.1206,-74.1272,7.950000	85,40.2160,-74.1017,7.250000	165,40.1699,-74.1051,38.350000
6,40.1262,-74.1256,8.300000	86,40.2126,-74.1002,10.600000	166,40.1701,-74.0991,50.500000
7,40.1309,-74.1220,9.050000	87,40.2088,-74.0986,12.500000	167,40.1703,-74.0930,41.800000
8,40.1349,-74.1164,12.850000	88,40.2034,-74.0988,13.500000	168,40.1706,-74.0867,32.950000
9,40.1395,-74.1120,16.100000	89,40.1983,-74.0999,19.600000	169,40.1708,-74.0807,21.000000
10,40.1446,-74.1094,19.200000	90,40.1930,-74.1008,23.100000	170,40.1710,-74.0745,17.650000
11,40.1497,-74.1061,21.950000	91,40.1876,-74.1012,24.400000	171,40.1711,-74.0702,18.900000
12,40.1551,-74.1036,25.300000	92,40.1825,-74.1014,28.550000	172,40.1714,-74.0646,16.750000
13,40.1605,-74.1022,33.100000	93,40.1776,-74.1011,32.950000	173,40.1718,-74.0586,13.650000
14,40.1662,-74.1008,38.050000	94,40.1742,-74.1011,36.150000	174,40.1727,-74.0523,12.450000
15,40.1718,-74.0992,44.650000	95,40.1705,-74.1012,59.000000	175,40.1735,-74.0465,13.000000
16,40.1774,-74.0993,49.000000	96,40.1664,-74.1025,42.650000	176,40.1749,-74.0422,12.000000
17,40.1831,-74.0998,38.000000	97,40.1680,-74.1052,36.400000	177,40.1777,-74.0401,11.400000
18,40.1888,-74.0998,30.750000	98,40.1720,-74.1073,44.850000	178,40.1785,-74.0364,6.900000
19,40.1943,-74.0991,26.500000	99,40.1764,-74.1097,32.600000	179,40.1779,-74.0343,7.200000
20,40.2001,-74.0980,23.350000	100,40.1794,-74.1113,27.300000	180,40.1781,-74.0343,5.950000
21,40.2058,-74.0973,18.600000	101,40.1840,-74.1137,22.150000	181,40.1786,-74.0375,11.950000
22,40.2113,-74.0973,16.100000	102,40.1883,-74.1156,22.350000	182,40.1769,-74.0412,12.150000
23,40.2171,-74.0976,13.350000	103,40.1929,-74.1175,21.750000	183,40.1768,-74.0413,12.350000
24,40.2228,-74.0970,11.550000	104,40.1976,-74.1195,18.950000	184,40.1745,-74.0433,10.900000
25,40.2281,-74.0951,10.150000	105,40.2005,-74.1207,14.250000	185,40.1734,-74.0486,12.700000
26,40.2334,-74.0919,6.550000	106,40.2048,-74.1225,12.300000	186,40.1725,-74.0546,15.700000
27,40.2380,-74.0882,5.250000	107,40.2095,-74.1245,11.800000	187,40.1718,-74.0609,18.300000
28,40.2431,-74.0845,4.600000	108,40.2143,-74.1265,9.350000	188,40.1715,-74.0671,19.800000
29,40.2482,-74.0820,5.750000	109,40.2183,-74.1282,10.150000	189,40.1712,-74.0743,20.950000
30,40.2508,-74.0815,4.450000	110,40.2191,-74.1289,10.250000	190,40.1710,-74.0808,20.000000
31,40.2542,-74.0802,4.350000	111,40.2152,-74.1271,3.400000	191,40.1709,-74.0826,12.950000
32,40.2596,-74.0793,3.500000	112,40.2129,-74.1262,9.500000	192,40.1707,-74.0887,19.200000
33,40.2652,-74.0779,2.350000	113,40.2120,-74.1258,11.050000	193,40.1705,-74.0946,32.250000
34,40.2707,-74.0781,4.300000	114,40.2077,-74.1240,5.800000	194,40.1703,-74.1006,41.700000
35,40.2763,-74.0804,4.050000	115,40.2029,-74.1220,4.800000	195,40.1701,-74.1066,47.450000
36,40.2813,-74.0835,5.200000	116,40.1987,-74.1202,9.550000	196,40.1709,-74.1072,38.400000
37,40.2847,-74.0826,4.050000	117,40.1944,-74.1184,10.350000	197,40.1671,-74.1050,43.650000
38,40.2863,-74.0793,6.600000	118,40.1899,-74.1165,16.350000	198,40.1625,-74.1025,37.900000
39,40.2500,-74.0556,3.700000	119,40.1855,-74.1146,18.500000	199,40.1582,-74.1002,32.450000
40,40.2444,-74.0541,3.250000	120,40.1811,-74.1125,21.400000	200,40.1548,-74.0985,25.900000
41,40.2396,-74.0528,3.400000	121,40.1769,-74.1102,28.350000	201,40.1529,-74.0975,23.550000
42,40.2352,-74.0513,4.250000	122,40.1728,-74.1081,35.400000	202,40.1507,-74.0964,18.650000
43,40.2301,-74.0502,4.450000	123,40.1701,-74.1089,40.000000	203,40.1485,-74.0954,21.550000
44,40.2255,-74.0510,3.900000	124,40.1699,-74.1148,34.900000	204,40.1451,-74.0940,15.450000
45,40.2210,-74.0523,4.650000	125,40.1704,-74.1219,28.300000	205,40.1410,-74.0923,9.800000
46,40.2163,-74.0516,7.550000	126,40.1700,-74.1287,25.850000	206,40.1367,-74.0905,10.200000
47,40.2115,-74.0521,8.800000	127,40.1677,-74.1348,20.250000	207,40.1322,-74.0884,7.550000
48,40.2083,-74.0539,11.050000	128,40.1648,-74.1406,16.900000	208,40.1283,-74.0852,9.250000
49,40.2068,-74.0550,9.500000	129,40.1634,-74.1474,13.600000	209,40.1273,-74.0847,9.900000
50,40.2076,-74.0592,8.650000	130,40.1637,-74.1542,13.950000	210,40.1275,-74.0843,10.000000
51,40.2080,-74.0638,10.900000	131,40.1643,-74.1614,12.200000	211,40.1304,-74.0866,3.400000
52,40.2085,-74.0689,9.400000	132,40.1650,-74.1680,8.450000	212,40.1340,-74.0892,12.100000
53,40.2089,-74.0740,8.450000	133,40.1658,-74.1748,7.300000	213,40.1382,-74.0910,10.350000
54,40.2093,-74.0777,10.300000	134,40.1666,-74.1819,6.550000	214,40.1427,-74.0928,16.500000
55,40.2093,-74.0783,11.100000	135,40.1673,-74.1886,5.000000	215,40.1470,-74.0946,17.750000
56,40.2093,-74.0808,11.600000	136,40.1673,-74.1948,4.250000	216,40.1504,-74.0957,21.800000
57,40.2093,-74.0845,12.200000	137,40.1672,-74.2012,3.100000	217,40.1531,-74.0974,12.250000
58,40.2096,-74.0860,15.000000	138,40.1671,-74.2077,3.400000	218,40.1552,-74.0985,12.450000
59,40.2103,-74.0902,12.000000	139,40.1670,-74.2138,2.050000	219,40.1570,-74.0995,17.150000
60,40.2109,-74.0919,9.350000	140,40.1669,-74.2204,2.450000	220,40.1597,-74.1008,24.950000

61,40.2130,-74.0963,11.700000	141,40.1668,-74.2274,2.900000	221,40.1637,-74.1029,32.350000
62,40.2162,-74.1008,14.500000	142,40.1657,-74.2336,2.800000	222,40.1678,-74.1051,33.600000
63,40.2176,-74.1047,9.900000	143,40.1648,-74.2377,3.000000	223,40.1711,-74.1060,43.600000
64,40.2181,-74.1100,8.000000	144,40.1642,-74.2353,2.600000	224,40.1701,-74.1072,47.800000
65,40.2185,-74.1159,10.150000	145,40.1643,-74.2359,2.950000	225,40.1703,-74.1067,38.200000
66,40.2191,-74.1220,7.050000	146,40.1663,-74.2304,4.150000	226,40.1662,-74.1045,41.450000
67,40.2192,-74.1235,5.550000	147,40.1666,-74.2235,2.500000	227,40.1620,-74.1036,37.950000
68,40.2192,-74.1236,4.950000	148,40.1667,-74.2169,2.900000	228,40.1569,-74.1044,32.650000
69,40.2193,-74.1268,3.100000	149,40.1668,-74.2104,2.500000	229,40.1515,-74.1063,27.150000
70,40.2203,-74.1301,10.950000	150,40.1669,-74.2038,2.150000	230,40.1467,-74.1093,21.800000
71,40.2223,-74.1342,6.700000	151,40.1670,-74.1975,4.150000	231,40.1416,-74.1124,19.800000
72,40.2246,-74.1390,4.700000	152,40.1671,-74.1911,5.150000	232,40.1368,-74.1156,16.450000
73,40.2267,-74.1434,5.950000	153,40.1667,-74.1843,4.350000	233,40.1326,-74.1208,13.350000
74,40.2267,-74.1461,3.600000	154,40.1659,-74.1778,4.450000	234,40.1281,-74.1253,10.450000
75,40.2261,-74.1425,5.900000	155,40.1651,-74.1707,7.800000	235,40.1229,-74.1275,7.700000
76,40.2238,-74.1378,6.350000	156,40.1642,-74.1637,8.200000	236,40.1176,-74.1298,5.450000
77,40.2214,-74.1327,4.350000	157,40.1636,-74.1568,11.400000	237,40.1126,-74.1334,4.300000
78,40.2189,-74.1287,13.050000	158,40.1632,-74.1499,11.650000	238,40.1077,-74.1362,4.350000
79,40.2188,-74.1282,11.700000	159,40.1637,-74.1433,12.750000	
80,40.2192,-74.1261,10.900000	160,40.1660,-74.1373,15.850000	

### A.3 07301.TXT Data

Logging started on: 07/31/01at 12:11:04 AM

Center Frequency: 5.300000E+2

Logging stopped on: 07/31/01at 1:41:46 AM

Entry, Latitude, Longitude, Level		
1,40.7641,-74.2171,5.500000	78,40.8630,-74.4445,37.850000	155,40.8583,-74.3440,24.750000
2,40.7641,-74.2171,5.150000	79,40.8615,-74.4479,30.800000	156,40.8585,-74.3413,16.700000
3,40.7641,-74.2171,5.700000	80,40.8599,-74.4507,14.500000	157,40.8587,-74.3373,18.600000
4,40.7656,-74.2201,4.050000	81,40.8572,-74.4527,16.350000	158,40.8589,-74.3326,16.250000
5,40.7676,-74.2263,14.350000	82,40.8540,-74.4542,6.350000	159,40.8592,-74.3273,19.950000
6,40.7704,-74.2318,15.300000	83,40.8508,-74.4559,16.450000	160,40.8608,-74.3231,15.600000
7,40.7714,-74.2377,10.350000	84,40.8498,-74.4571,18.500000	161,40.8636,-74.3195,16.600000
8,40.7758,-74.2414,10.000000	85,40.8476,-74.4599,19.050000	162,40.8660,-74.3155,19.450000
9,40.7809,-74.2427,12.650000	86,40.8458,-74.4623,8.300000	163,40.8673,-74.3125,16.250000
10,40.7845,-74.2469,11.650000	87,40.8441,-74.4637,11.200000	164,40.8679,-74.3124,14.850000
11,40.7890,-74.2489,9.800000	88,40.8440,-74.4638,16.250000	165,40.8657,-74.3164,17.400000
12,40.7940,-74.2487,11.600000	89,40.8417,-74.4654,18.800000	166,40.8629,-74.3208,20.350000
13,40.7977,-74.2523,10.950000	90,40.8394,-74.4684,13.650000	167,40.8599,-74.3249,20.950000
14,40.7976,-74.2591,15.900000	91,40.8373,-74.4709,13.050000	168,40.8591,-74.3306,21.000000
15,40.7980,-74.2661,12.950000	92,40.8372,-74.4710,5.950000	169,40.8589,-74.3363,18.500000
16,40.7992,-74.2722,14.150000	93,40.8380,-74.4703,10.450000	170,40.8587,-74.3402,23.300000
17,40.8015,-74.2783,8.150000	94,40.8407,-74.4666,9.250000	171,40.8587,-74.3403,22.500000
18,40.8050,-74.2843,14.050000	95,40.8418,-74.4651,13.950000	172,40.8584,-74.3443,18.900000
19,40.8087,-74.2892,14.750000	96,40.8418,-74.4651,7.800000	173,40.8582,-74.3485,25.050000
20,40.8105,-74.2958,10.650000	97,40.8433,-74.4642,10.600000	174,40.8582,-74.3528,25.100000
21,40.8110,-74.3029,17.750000	98,40.8435,-74.4636,15.100000	175,40.8592,-74.3591,27.250000
22,40.8131,-74.3089,14.900000	99,40.8414,-74.4589,17.100000	176,40.8607,-74.3654,30.100000
23,40.8166,-74.3135,19.650000	100,40.8393,-74.4538,19.300000	177,40.8619,-74.3713,45.900000
24,40.8214,-74.3171,19.450000	101,40.8372,-74.4487,18.050000	178,40.8621,-74.3750,34.900000
25,40.8256,-74.3213,19.400000	102,40.8351,-74.4438,18.600000	179,40.8626,-74.3803,28.450000
26,40.8278,-74.3249,0.000000	103,40.8328,-74.4388,14.250000	180,40.8629,-74.3841,28.050000
27,40.8318,-74.3314,19.500000	104,40.8304,-74.4347,16.400000	181,40.8629,-74.3841,26.300000
28,40.8362,-74.3359,21.900000	105,40.8284,-74.4301,13.100000	182,40.8630,-74.3852,26.550000
29,40.8407,-74.3395,22.600000	106,40.8265,-74.4249,15.300000	183,40.8634,-74.3897,23.000000
30,40.8439,-74.3451,25.100000	107,40.8253,-74.4197,13.600000	184,40.8638,-74.3949,20.150000
31,40.8468,-74.3510,25.600000	108,40.8227,-74.4148,13.100000	185,40.8642,-74.3999,22.950000
32,40.8510,-74.3546,25.300000	109,40.8213,-74.4095,7.700000	186,40.8649,-74.4043,15.500000
33,40.8553,-74.3585,31.300000	110,40.8206,-74.4076,11.800000	187,40.8663,-74.4096,20.700000
34,40.8584,-74.3638,36.150000	111,40.8191,-74.4055,8.450000	188,40.8679,-74.4128,13.500000
35,40.8595,-74.3693,37.500000	112,40.8169,-74.4022,10.800000	189,40.8695,-74.4163,15.950000
36,40.8592,-74.3757,49.850000	113,40.8153,-74.3996,12.600000	190,40.8709,-74.4205,10.200000
37,40.8603,-74.3824,34.250000	114,40.8131,-74.3951,12.750000	191,40.8712,-74.4221,20.650000
38,40.8608,-74.3887,28.100000	115,40.8126,-74.3929,4.300000	192,40.8723,-74.4272,24.650000
39,40.8605,-74.3955,26.350000	116,40.8120,-74.3888,15.300000	193,40.8730,-74.4299,24.800000
40,40.8615,-74.4023,25.250000	117,40.8104,-74.3835,16.300000	194,40.8739,-74.4329,25.700000

41,40.8629,-74.4086,22.900000	118,40.8095,-74.3812,17.250000	195,40.8754,-74.4375,27.150000
42,40.8640,-74.4151,22.750000	119,40.8095,-74.3812,15.200000	196,40.8770,-74.4422,23.100000
43,40.8650,-74.4220,18.900000	120,40.8084,-74.3781,13.400000	197,40.8785,-74.4465,25.000000
44,40.8657,-74.4288,24.550000	121,40.8071,-74.3733,11.000000	198,40.8789,-74.4477,14.100000
45,40.8662,-74.4359,30.650000	122,40.8053,-74.3685,22.050000	199,40.8801,-74.4502,19.700000
46,40.8670,-74.4429,38.500000	123,40.8035,-74.3645,14.700000	200,40.8821,-74.4540,17.400000
47,40.8681,-74.4497,37.850000	124,40.8034,-74.3643,14.950000	201,40.8841,-74.4590,20.250000
48,40.8685,-74.4567,28.850000	125,40.8025,-74.3625,12.150000	202,40.8861,-74.4635,13.400000
49,40.8716,-74.4625,23.100000	126,40.8001,-74.3582,15.250000	203,40.8887,-74.4676,9.200000
50,40.8758,-74.4666,17.550000	127,40.7980,-74.3540,5.300000	204,40.8897,-74.4712,13.150000
51,40.8809,-74.4690,16.050000	128,40.7969,-74.3498,10.650000	205,40.8885,-74.4673,11.750000
52,40.8854,-74.4707,17.650000	129,40.7966,-74.3461,8.050000	206,40.8860,-74.4636,15.600000
53,40.8886,-74.4741,18.250000	130,40.7960,-74.3420,8.700000	207,40.8853,-74.4627,17.100000
54,40.8905,-74.4792,16.800000	131,40.7960,-74.3415,13.650000	208,40.8837,-74.4579,18.150000
55,40.8923,-74.4838,14.850000	132,40.7974,-74.3413,13.350000	209,40.8817,-74.4533,18.000000
56,40.8959,-74.4871,14.200000	133,40.7994,-74.3412,10.350000	210,40.8793,-74.4488,16.600000
57,40.9001,-74.4901,15.500000	134,40.8030,-74.3410,15.600000	211,40.8774,-74.4439,22.800000
58,40.9038,-74.4942,11.900000	135,40.8070,-74.3393,16.400000	212,40.8756,-74.4386,26.450000
59,40.9068,-74.4988,11.200000	136,40.8106,-74.3371,13.100000	213,40.8744,-74.4348,23.000000
60,40.9096,-74.5038,11.200000	137,40.8142,-74.3349,19.100000	214,40.8731,-74.4307,23.350000
61,40.9103,-74.5030,8.900000	138,40.8168,-74.3316,13.900000	215,40.8719,-74.4262,22.250000
62,40.9093,-74.5037,8.800000	139,40.8191,-74.3289,14.200000	216,40.8710,-74.4222,17.850000
63,40.9092,-74.5056,7.550000	140,40.8214,-74.3263,14.100000	217,40.8710,-74.4220,17.750000
64,40.9079,-74.5011,12.050000	141,40.8239,-74.3231,10.450000	218,40.8707,-74.4207,17.350000
65,40.9045,-74.4957,10.000000	142,40.8259,-74.3197,19.800000	219,40.8703,-74.4211,17.150000
66,40.9003,-74.4907,11.300000	143,40.8257,-74.3213,19.650000	220,40.8706,-74.4213,23.450000
67,40.8956,-74.4873,12.250000	144,40.8289,-74.3267,22.950000	221,40.8713,-74.4217,22.300000
68,40.8917,-74.4833,9.500000	145,40.8321,-74.3318,18.700000	222,40.8744,-74.4231,24.700000
69,40.8895,-74.4769,11.700000	146,40.8357,-74.3356,21.700000	223,40.8774,-74.4213,22.800000
70,40.8864,-74.4718,12.600000	147,40.8397,-74.3387,21.400000	224,40.8809,-74.4207,16.450000
71,40.8817,-74.4698,18.500000	148,40.8429,-74.3428,24.550000	225,40.8841,-74.4190,13.300000
72,40.8767,-74.4676,17.400000	149,40.8449,-74.3477,25.650000	226,40.8873,-74.4175,9.350000
73,40.8721,-74.4635,19.550000	150,40.8477,-74.3511,25.450000	227,40.8905,-74.4157,13.500000
74,40.8687,-74.4582,20.300000	151,40.8497,-74.3503,25.200000	228,40.8926,-74.4158,11.100000
75,40.8674,-74.4513,25.500000	152,40.8528,-74.3480,19.750000	229,40.8921,-74.4128,17.800000
76,40.8668,-74.4446,30.450000	153,40.8563,-74.3488,22.600000	230,40.8918,-74.4110,15.050000
77,40.8646,-74.4414,58.900000	154,40.8581,-74.3487,22.750000	

#### A.4 07302.TXT Data

Logging started on: 07/31/01at 2:49:05 AM

Center Frequency: 5.300000E+2

Logging stopped on: 07/31/01at 3:26:56 AM

Entry, Latitude, Longitude, Level		
1,40.9182,-74.8134,38.700000	33,40.9259,-74.8088,17.200000	65,40.9248,-74.9366,2.050000
2,40.9170,-74.8149,43.800000	34,40.9221,-74.8086,9.300000	66,40.9244,-74.9298,2.350000
3,40.9136,-74.8171,28.500000	35,40.9192,-74.8114,27.850000	67,40.9257,-74.9230,2.300000
4,40.9104,-74.8200,17.250000	36,40.9181,-74.8154,43.350000	68,40.9272,-74.9163,4.600000
5,40.9071,-74.8217,21.500000	37,40.9183,-74.8212,34.300000	69,40.9286,-74.9099,3.450000
6,40.9036,-74.8231,5.850000	38,40.9183,-74.8277,27.100000	70,40.9300,-74.9038,3.800000
7,40.9003,-74.8246,2.400000	39,40.9204,-74.8340,23.050000	71,40.9297,-74.8975,4.250000
8,40.8973,-74.8260,11.150000	40,40.9196,-74.8403,18.400000	72,40.9290,-74.8907,8.150000
9,40.8991,-74.8251,10.000000	41,40.9202,-74.8467,19.100000	73,40.9276,-74.8843,10.450000
10,40.9034,-74.8231,17.850000	42,40.9217,-74.8533,17.350000	74,40.9247,-74.8787,10.200000
11,40.9074,-74.8215,9.550000	43,40.9223,-74.8598,13.500000	75,40.9229,-74.8724,11.400000
12,40.9113,-74.8194,19.950000	44,40.9228,-74.8665,15.100000	76,40.9224,-74.8661,13.100000
13,40.9147,-74.8163,15.800000	45,40.9233,-74.8732,13.800000	77,40.9219,-74.8594,13.500000
14,40.9179,-74.8137,31.750000	46,40.9252,-74.8789,11.500000	78,40.9213,-74.8529,10.550000
15,40.9208,-74.8094,38.800000	47,40.9280,-74.8845,10.100000	79,40.9200,-74.8471,16.250000
16,40.9245,-74.8086,22.750000	48,40.9293,-74.8904,10.000000	80,40.9190,-74.8412,16.100000
17,40.9282,-74.8085,9.100000	49,40.9297,-74.8959,2.200000	81,40.9199,-74.8350,17.000000
18,40.9324,-74.8076,14.350000	50,40.9307,-74.9018,6.350000	82,40.9185,-74.8293,20.000000
19,40.9365,-74.8063,18.550000	51,40.9297,-74.9084,6.350000	83,40.9174,-74.8234,21.600000
20,40.9396,-74.8031,21.500000	52,40.9280,-74.9146,3.100000	84,40.9178,-74.8173,27.450000
21,40.9430,-74.8000,23.100000	53,40.9265,-74.9212,2.350000	85,40.9167,-74.8116,36.700000
22,40.9463,-74.7970,14.500000	54,40.9252,-74.9279,2.300000	86,40.9182,-74.8058,39.350000
23,40.9494,-74.7941,10.100000	55,40.9251,-74.9348,3.100000	87,40.9217,-74.8017,29.000000

24,40.9522,-74.7909,2.000000  
 25,40.9529,-74.7898,5.050000  
 26,40.9504,-74.7930,10.450000  
 27,40.9471,-74.7964,7.300000  
 28,40.9437,-74.7995,6.300000  
 29,40.9402,-74.8026,4.750000  
 30,40.9368,-74.8062,15.200000  
 31,40.9328,-74.8075,22.700000  
 32,40.9293,-74.8083,21.550000

56,40.9252,-74.9417,1.750000  
 57,40.9251,-74.9476,1.750000  
 58,40.9243,-74.9527,1.650000  
 59,40.9248,-74.9578,1.650000  
 60,40.9253,-74.9595,2.500000  
 61,40.9232,-74.9608,1.050000  
 62,40.9238,-74.9576,2.450000  
 63,40.9242,-74.9507,1.300000  
 64,40.9248,-74.9437,2.200000

88,40.9231,-74.7964,23.050000  
 89,40.9243,-74.7907,15.900000  
 90,40.9237,-74.7846,14.950000  
 91,40.9196,-74.7809,13.050000  
 92,40.9165,-74.7761,14.900000  
 93,40.9160,-74.7696,8.700000  
 94,40.9150,-74.7635,9.900000  
 95,40.9125,-74.7585,10.700000  
 96,40.9118,-74.7529,8.000000

## A.5 07311.TXT Data

Logging started on: 07/31/01at 10:17:43 PM

Center Frequency: 5.300000E+2

Logging stopped on: 07/31/01at 11:44:55 PM

Logging started on: 07/31/01at 11:46:54 PM

Center Frequency: 5.300000E+2

Logging stopped on: 07/31/01at 11:47:18 PM

Logging started on: 08/01/01at 12:32:26 AM

Center Frequency: 5.300000E+2

Logging stopped on: 08/01/01at 1:08:44 AM

Logging started on: 08/01/01at 11:20:07 PM

Center Frequency: 5.300000E+2

Logging stopped on: 08/01/01at 11:47:21 PM

Entry, Latitude, Longitude, Level

1,40.9142,-74.0484,19.400000  
 2,40.9141,-74.0484,22.300000  
 3,40.9139,-74.0470,23.550000  
 4,40.9127,-74.0425,17.700000  
 5,40.9103,-74.0381,20.650000  
 6,40.9070,-74.0344,21.450000  
 7,40.9038,-74.0313,19.400000  
 8,40.9019,-74.0295,22.100000  
 9,40.9006,-74.0282,18.700000  
 10,40.9000,-74.0274,21.150000  
 11,40.8990,-74.0259,17.950000  
 12,40.8985,-74.0249,15.600000  
 13,40.8979,-74.0237,9.800000  
 14,40.8971,-74.0220,16.150000  
 15,40.8967,-74.0211,6.350000  
 16,40.8963,-74.0203,11.100000  
 17,40.8960,-74.0194,11.450000  
 18,40.8956,-74.0183,10.850000  
 19,40.8947,-74.0159,12.050000  
 20,40.8934,-74.0122,21.150000  
 21,40.8919,-74.0079,11.400000  
 22,40.8905,-74.0033,8.450000  
 23,40.8891,-73.9990,9.400000  
 24,40.8874,-73.9947,5.750000  
 25,40.8874,-73.9953,9.200000  
 26,40.8873,-73.9940,7.150000  
 27,40.8888,-73.9977,9.300000  
 28,40.8902,-74.0022,11.350000  
 29,40.8918,-74.0070,15.900000  
 30,40.8935,-74.0122,11.050000  
 31,40.8951,-74.0169,20.200000  
 32,40.8972,-74.0219,6.150000  
 33,40.8999,-74.0271,13.350000  
 34,40.9034,-74.0307,17.950000  
 35,40.9070,-74.0342,15.900000

129,40.9201,-74.1744,20.050000  
 130,40.9203,-74.1739,21.250000  
 131,40.9204,-74.1710,17.500000  
 132,40.9201,-74.1701,17.350000  
 133,40.9190,-74.1683,20.000000  
 134,40.9187,-74.1655,15.150000  
 135,40.9186,-74.1626,12.250000  
 136,40.9186,-74.1599,18.750000  
 137,40.9185,-74.1594,15.900000  
 138,40.9185,-74.1587,16.800000  
 139,40.9184,-74.1558,19.300000  
 140,40.9184,-74.1552,17.400000  
 141,40.9183,-74.1528,18.950000  
 142,40.9184,-74.1527,17.550000  
 143,40.9183,-74.1500,20.850000  
 144,40.9183,-74.1464,20.650000  
 145,40.9183,-74.1449,24.400000  
 146,40.9182,-74.1429,23.750000  
 147,40.9182,-74.1420,16.750000  
 148,40.9182,-74.1420,19.600000  
 149,40.9181,-74.1379,19.200000  
 150,40.9181,-74.1320,22.750000  
 151,40.9187,-74.1267,27.450000  
 152,40.9189,-74.1261,23.300000  
 153,40.9194,-74.1244,24.750000  
 154,40.9197,-74.1230,24.950000  
 155,40.9199,-74.1224,20.400000  
 156,40.9209,-74.1185,22.900000  
 157,40.9222,-74.1140,17.700000  
 158,40.9229,-74.1112,25.450000  
 159,40.9229,-74.1112,23.550000  
 160,40.9238,-74.1074,23.800000  
 161,40.9250,-74.1028,19.500000  
 162,40.9262,-74.0980,24.150000  
 163,40.9263,-74.0935,25.100000

257,40.9560,-74.0658,17.800000  
 258,40.9606,-74.0656,21.000000  
 259,40.9656,-74.0647,23.200000  
 260,40.9706,-74.0658,21.650000  
 261,40.9745,-74.0693,15.900000  
 262,40.9791,-74.0706,14.450000  
 263,40.9822,-74.0708,15.050000  
 264,40.9870,-74.0721,18.600000  
 265,40.9920,-74.0728,16.650000  
 266,40.9967,-74.0715,15.600000  
 267,40.9988,-74.0705,16.600000  
 268,40.9995,-74.0726,11.900000  
 269,40.9990,-74.0719,12.650000  
 270,40.9946,-74.0730,14.500000  
 271,40.9897,-74.0736,17.050000  
 272,40.9847,-74.0720,16.150000  
 273,40.9802,-74.0713,16.850000  
 274,40.9772,-74.0709,13.300000  
 275,40.9728,-74.0684,18.200000  
 276,40.9687,-74.0657,17.500000  
 277,40.9637,-74.0656,22.300000  
 278,40.9583,-74.0662,24.400000  
 279,40.9532,-74.0661,22.450000  
 280,40.9479,-74.0667,21.700000  
 281,40.9428,-74.0688,25.900000  
 282,40.9393,-74.0716,25.050000  
 283,40.9349,-74.0728,28.000000  
 284,40.9297,-74.0725,35.600000  
 285,40.9252,-74.0752,40.700000  
 286,40.9224,-74.0810,33.150000  
 287,40.9195,-74.0867,29.750000  
 288,40.9150,-74.0891,28.900000  
 289,40.9108,-74.0924,23.750000  
 290,40.9089,-74.0970,22.100000  
 291,40.9078,-74.0996,19.300000

36,40.9089,-74.0360,18.750000  
 37,40.9109,-74.0385,24.650000  
 38,40.9122,-74.0409,19.750000  
 39,40.9129,-74.0427,20.800000  
 40,40.9138,-74.0458,19.250000  
 41,40.9150,-74.0502,22.650000  
 42,40.9162,-74.0548,21.050000  
 43,40.9174,-74.0591,21.550000  
 44,40.9186,-74.0635,24.400000  
 45,40.9197,-74.0676,26.450000  
 46,40.9210,-74.0728,28.400000  
 47,40.9224,-74.0783,32.300000  
 48,40.9239,-74.0835,25.650000  
 49,40.9257,-74.0886,23.450000  
 50,40.9267,-74.0934,28.450000  
 51,40.9283,-74.0992,25.600000  
 52,40.9301,-74.1055,19.750000  
 53,40.9320,-74.1119,14.900000  
 54,40.9337,-74.1179,21.450000  
 55,40.9360,-74.1238,20.100000  
 56,40.9398,-74.1270,16.200000  
 57,40.9436,-74.1305,19.350000  
 58,40.9473,-74.1341,19.900000  
 59,40.9509,-74.1378,18.600000  
 60,40.9545,-74.1410,19.000000  
 61,40.9586,-74.1436,13.450000  
 62,40.9622,-74.1466,9.550000  
 63,40.9654,-74.1507,7.000000  
 64,40.9678,-74.1535,10.150000  
 65,40.9685,-74.1533,2.050000  
 66,40.9671,-74.1556,7.900000  
 67,40.9685,-74.1556,12.700000  
 68,40.9655,-74.1510,15.550000  
 69,40.9616,-74.1462,4.700000  
 70,40.9567,-74.1423,10.800000  
 71,40.9518,-74.1389,18.500000  
 72,40.9477,-74.1348,12.350000  
 73,40.9437,-74.1308,17.500000  
 74,40.9397,-74.1271,19.000000  
 75,40.9355,-74.1232,19.550000  
 76,40.9334,-74.1174,20.650000  
 77,40.9315,-74.1110,22.000000  
 78,40.9298,-74.1048,20.300000  
 79,40.9280,-74.0984,21.550000  
 80,40.9264,-74.0939,20.450000  
 81,40.9257,-74.0894,21.400000  
 82,40.9244,-74.0852,25.700000  
 83,40.9229,-74.0810,27.000000  
 84,40.9213,-74.0772,27.950000  
 85,40.9228,-74.0768,30.350000  
 86,40.9233,-74.0775,31.400000  
 87,40.9226,-74.0785,30.300000  
 88,40.9237,-74.0827,26.300000  
 89,40.9257,-74.0885,23.650000  
 90,40.9269,-74.0947,25.900000  
 91,40.9260,-74.0992,21.800000  
 92,40.9256,-74.1007,18.950000  
 93,40.9246,-74.1047,20.700000  
 94,40.9238,-74.1079,21.050000  
 95,40.9237,-74.1082,21.750000  
 96,40.9232,-74.1103,18.550000  
 97,40.9223,-74.1141,25.750000  
 98,40.9216,-74.1165,17.100000  
 99,40.9209,-74.1191,18.950000  
 100,40.9199,-74.1230,20.150000  
 101,40.9192,-74.1254,21.900000  
 102,40.9192,-74.1254,18.900000  
 103,40.9185,-74.1281,11.850000  
 104,40.9182,-74.1326,24.450000  
 105,40.9182,-74.1369,23.900000  
 106,40.9183,-74.1414,19.350000  
 107,40.9183,-74.1441,18.850000  
 108,40.9183,-74.1463,21.850000  
 109,40.9184,-74.1487,23.550000  
 110,40.9184,-74.1512,18.650000  
 111,40.9184,-74.1527,18.100000  
 112,40.9184,-74.1536,18.800000  
 164,40.9255,-74.0882,28.300000  
 165,40.9236,-74.0832,22.700000  
 166,40.9220,-74.0775,29.950000  
 167,40.9207,-74.0726,31.900000  
 168,40.9200,-74.0721,28.500000  
 169,40.9235,-74.0715,33.450000  
 170,40.9284,-74.0705,33.150000  
 171,40.9330,-74.0706,48.250000  
 172,40.9377,-74.0711,35.400000  
 173,40.9426,-74.0715,31.450000  
 174,40.9475,-74.0720,32.600000  
 175,40.9521,-74.0726,25.700000  
 176,40.9566,-74.0740,31.700000  
 177,40.9610,-74.0758,21.000000  
 178,40.9653,-74.0775,18.800000  
 179,40.9700,-74.0794,17.300000  
 180,40.9746,-74.0813,18.350000  
 181,40.9789,-74.0832,17.800000  
 182,40.9822,-74.0871,9.550000  
 183,40.9858,-74.0917,8.550000  
 184,40.9899,-74.0949,16.500000  
 185,40.9948,-74.0968,16.750000  
 186,40.9995,-74.1002,15.050000  
 187,41.0045,-74.1020,12.850000  
 188,41.0090,-74.1050,13.400000  
 189,41.0133,-74.1071,13.450000  
 190,41.0181,-74.1079,12.600000  
 191,41.0232,-74.1090,13.900000  
 192,41.0283,-74.1102,12.700000  
 193,41.0332,-74.1113,14.800000  
 194,41.0328,-74.1093,9.450000  
 195,41.0327,-74.1130,13.050000  
 196,41.0335,-74.1116,13.050000  
 197,41.0328,-74.1104,13.850000  
 198,41.0230,-74.1092,10.000000  
 199,41.0177,-74.1080,14.950000  
 200,41.0120,-74.1072,15.400000  
 201,41.0073,-74.1038,16.350000  
 202,41.0022,-74.1017,10.800000  
 203,40.9976,-74.0990,14.500000  
 204,40.9929,-74.0962,17.000000  
 205,40.9881,-74.0939,10.900000  
 206,40.9839,-74.0901,17.100000  
 207,40.9809,-74.0852,11.850000  
 208,40.9766,-74.0823,14.550000  
 209,40.9726,-74.0807,14.350000  
 210,40.9682,-74.0789,11.450000  
 211,40.9635,-74.0770,17.500000  
 212,40.9590,-74.0751,19.250000  
 213,40.9547,-74.0735,24.150000  
 214,40.9499,-74.0724,21.850000  
 215,40.9450,-74.0719,33.000000  
 216,40.9405,-74.0715,30.250000  
 217,40.9358,-74.0711,38.100000  
 218,40.9313,-74.0706,39.950000  
 219,40.9267,-74.0710,46.300000  
 220,40.9219,-74.0722,34.000000  
 221,40.9172,-74.0728,26.700000  
 222,40.9153,-74.0750,27.800000  
 223,40.9154,-74.0749,27.350000  
 224,40.9158,-74.0750,25.750000  
 225,40.9158,-74.0740,29.750000  
 226,40.9163,-74.0728,25.500000  
 227,40.9127,-74.0713,25.750000  
 228,40.9083,-74.0711,19.450000  
 229,40.9038,-74.0721,10.350000  
 230,40.8998,-74.0731,17.000000  
 231,40.8957,-74.0726,18.700000  
 232,40.8916,-74.0708,10.800000  
 233,40.8877,-74.0690,13.950000  
 234,40.8839,-74.0673,13.950000  
 235,40.8797,-74.0654,18.750000  
 236,40.8763,-74.0652,13.550000  
 237,40.8753,-74.0655,12.850000  
 238,40.8768,-74.0647,8.650000  
 239,40.8794,-74.0634,22.000000  
 240,40.8826,-74.0653,21.000000  
 292,40.9055,-74.1052,27.650000  
 293,40.9026,-74.1103,25.300000  
 294,40.8991,-74.1145,27.000000  
 295,40.8951,-74.1184,30.600000  
 296,40.8913,-74.1228,30.250000  
 297,40.8899,-74.1289,27.350000  
 298,40.8895,-74.1355,30.300000  
 299,40.8886,-74.1418,28.050000  
 300,40.8875,-74.1482,26.600000  
 301,40.8862,-74.1540,25.750000  
 302,40.8849,-74.1601,21.900000  
 303,40.8821,-74.1654,23.800000  
 304,40.8775,-74.1664,24.300000  
 305,40.8726,-74.1671,17.450000  
 306,40.8680,-74.1693,21.600000  
 307,40.8639,-74.1721,20.500000  
 308,40.8593,-74.1739,18.900000  
 309,40.8548,-74.1756,12.900000  
 310,40.8505,-74.1781,4.250000  
 311,40.8459,-74.1802,17.200000  
 312,40.8410,-74.1801,15.750000  
 313,40.8373,-74.1866,15.300000  
 314,40.8363,-74.1805,9.750000  
 315,40.9451,-74.0722,39.250000  
 316,40.9433,-74.0718,39.050000  
 317,40.9391,-74.0720,39.200000  
 318,40.9337,-74.0728,31.650000  
 319,40.9286,-74.0727,39.200000  
 320,40.9243,-74.0767,36.700000  
 321,40.9216,-74.0828,33.150000  
 322,40.9183,-74.0878,30.000000  
 323,40.9132,-74.0900,28.000000  
 324,40.9096,-74.0948,29.000000  
 325,40.9089,-74.0978,17.400000  
 326,40.9070,-74.1031,28.500000  
 327,40.9045,-74.1080,38.800000  
 328,40.9044,-74.1142,28.900000  
 329,40.9030,-74.1210,30.100000  
 330,40.9013,-74.1276,37.850000  
 331,40.9021,-74.1343,39.350000  
 332,40.9012,-74.1406,33.800000  
 333,40.9007,-74.1473,28.450000  
 334,40.9017,-74.1533,26.400000  
 335,40.9041,-74.1586,22.100000  
 336,40.9067,-74.1641,24.250000  
 337,40.9079,-74.1707,24.400000  
 338,40.9089,-74.1775,21.350000  
 339,40.9083,-74.1841,19.700000  
 340,40.9055,-74.1896,20.700000  
 341,40.9029,-74.1955,21.000000  
 342,40.8977,-74.1990,17.250000  
 343,40.8961,-74.2054,23.850000  
 344,40.8976,-74.2118,20.100000  
 345,40.8971,-74.2186,20.850000  
 346,40.8986,-74.2202,22.350000  
 347,40.8988,-74.2202,18.050000  
 348,40.8988,-74.2202,10.400000  
 349,40.8988,-74.2202,10.650000  
 350,40.8988,-74.2203,13.450000  
 351,40.8969,-74.2227,13.300000  
 352,40.8965,-74.2266,24.900000  
 353,40.8966,-74.2233,24.650000  
 354,40.8969,-74.2163,23.350000  
 355,40.8972,-74.2096,22.000000  
 356,40.8958,-74.2029,21.300000  
 357,40.8990,-74.1977,21.000000  
 358,40.9034,-74.1944,15.200000  
 359,40.9058,-74.1882,17.200000  
 360,40.9086,-74.1822,16.850000  
 361,40.9085,-74.1755,11.600000  
 362,40.9073,-74.1686,19.000000  
 363,40.9060,-74.1617,22.900000  
 364,40.9025,-74.1568,22.350000  
 365,40.9010,-74.1501,26.000000  
 366,40.9006,-74.1431,15.950000  
 367,40.9017,-74.1366,27.600000  
 368,40.9013,-74.1296,34.550000

113,40.9184,-74.1541,20.350000	241,40.8865,-74.0680,14.850000	369,40.9021,-74.1229,47.400000
114,40.9184,-74.1548,22.000000	242,40.8908,-74.0703,18.300000	370,40.9039,-74.1166,33.550000
115,40.9185,-74.1580,17.100000	243,40.8952,-74.0723,14.650000	371,40.9040,-74.1096,28.750000
116,40.9186,-74.1588,22.300000	244,40.8991,-74.0731,20.300000	372,40.9036,-74.1025,27.150000
117,40.9186,-74.1611,16.750000	245,40.9030,-74.0721,15.450000	373,40.9032,-74.0958,25.300000
118,40.9187,-74.1617,16.950000	246,40.9066,-74.0713,21.650000	374,40.9023,-74.0888,21.550000
119,40.9187,-74.1637,16.500000	247,40.9107,-74.0707,19.900000	375,40.9001,-74.0826,20.700000
120,40.9188,-74.1651,20.400000	248,40.9150,-74.0723,16.850000	376,40.8959,-74.0800,20.800000
121,40.9188,-74.1656,21.500000	249,40.9194,-74.0724,24.450000	377,40.8925,-74.0759,24.000000
122,40.9189,-74.1676,18.000000	250,40.9241,-74.0713,33.650000	378,40.8891,-74.0721,16.500000
123,40.9190,-74.1692,13.300000	251,40.9288,-74.0705,33.500000	379,40.8858,-74.0686,14.500000
124,40.9191,-74.1725,19.100000	252,40.9333,-74.0706,38.350000	380,40.8817,-74.0660,19.550000
125,40.9191,-74.1727,13.450000	253,40.9377,-74.0710,35.150000	381,40.8776,-74.0641,19.900000
126,40.9191,-74.1727,9.650000	254,40.9419,-74.0688,20.550000	382,40.8737,-74.0613,11.800000
127,40.9191,-74.1730,10.150000	255,40.9465,-74.0667,25.900000	383,40.8698,-74.0574,15.550000
128,40.9192,-74.1753,14.000000	256,40.9510,-74.0658,26.100000	

## A.6 08011.TXT Data

Logging started on: 08/02/01 at 12:01:52 AM

Center Frequency: 5.300000E+2

Logging stopped on: 08/02/01 at 12:56:18 AM

Entry, Latitude, Longitude, Level		
1,40.8987,-74.2295,24.100000	47,40.8624,-74.3785,25.800000	93,40.8949,-74.2463,33.150000
2,40.8997,-74.2359,26.150000	48,40.8619,-74.3733,27.350000	94,40.8967,-74.2493,40.350000
3,40.8990,-74.2427,32.250000	49,40.8603,-74.3677,36.100000	95,40.8980,-74.2530,38.800000
4,40.8977,-74.2494,42.750000	50,40.8595,-74.3613,39.900000	96,40.9022,-74.2560,20.500000
5,40.8962,-74.2557,34.250000	51,40.8583,-74.3551,22.900000	97,40.9068,-74.2591,27.750000
6,40.8949,-74.2624,27.100000	52,40.8580,-74.3503,21.500000	98,40.9107,-74.2634,22.900000
7,40.8942,-74.2692,24.850000	53,40.8582,-74.3473,24.100000	99,40.9156,-74.2656,22.200000
8,40.8940,-74.2758,21.350000	54,40.8584,-74.3425,16.300000	100,40.9207,-74.2677,20.650000
9,40.8939,-74.2827,19.850000	55,40.8587,-74.3370,14.200000	101,40.9257,-74.2683,16.350000
10,40.8939,-74.2896,20.050000	56,40.8590,-74.3317,12.900000	102,40.9308,-74.2687,17.450000
11,40.8938,-74.2962,19.300000	57,40.8592,-74.3263,14.750000	103,40.9326,-74.2689,17.350000
12,40.8932,-74.3030,18.150000	58,40.8618,-74.3219,15.600000	104,40.9344,-74.2690,15.050000
13,40.8918,-74.3096,15.350000	59,40.8647,-74.3177,13.600000	105,40.9383,-74.2696,14.350000
14,40.8895,-74.3155,17.350000	60,40.8672,-74.3134,14.950000	106,40.9426,-74.2715,11.200000
15,40.8863,-74.3210,18.050000	61,40.8678,-74.3122,17.600000	107,40.9463,-74.2738,13.650000
16,40.8823,-74.3254,20.250000	62,40.8687,-74.3100,16.600000	108,40.9490,-74.2747,13.200000
17,40.8777,-74.3278,20.500000	63,40.8711,-74.3057,9.750000	109,40.9489,-74.2753,9.300000
18,40.8727,-74.3296,20.150000	64,40.8745,-74.3018,9.150000	110,40.9489,-74.2754,9.400000
19,40.8676,-74.3314,17.700000	65,40.8779,-74.2978,15.100000	111,40.9477,-74.2753,12.450000
20,40.8635,-74.3350,18.900000	66,40.8810,-74.2930,13.400000	112,40.9440,-74.2724,15.150000
21,40.8617,-74.3413,22.250000	67,40.8839,-74.2874,13.850000	113,40.9399,-74.2704,7.800000
22,40.8623,-74.3482,22.800000	68,40.8867,-74.2818,15.550000	114,40.9352,-74.2694,10.750000
23,40.8629,-74.3547,26.050000	69,40.8891,-74.2757,16.500000	115,40.9309,-74.2690,11.900000
24,40.8621,-74.3614,28.600000	70,40.8913,-74.2694,18.600000	116,40.9260,-74.2686,10.000000
25,40.8605,-74.3675,37.450000	71,40.8926,-74.2635,18.150000	117,40.9211,-74.2681,16.100000
26,40.8594,-74.3737,46.500000	72,40.8931,-74.2580,24.150000	118,40.9162,-74.2659,14.800000
27,40.8602,-74.3804,31.200000	73,40.8935,-74.2526,28.700000	119,40.9111,-74.2640,21.750000
28,40.8609,-74.3872,28.400000	74,40.8944,-74.2473,34.200000	120,40.9074,-74.2599,22.100000
29,40.8608,-74.3934,24.350000	75,40.8946,-74.2413,36.600000	121,40.9032,-74.2569,23.500000
30,40.8612,-74.4001,22.600000	76,40.8947,-74.2355,30.400000	122,40.8989,-74.2541,28.200000
31,40.8626,-74.4065,20.000000	77,40.8939,-74.2299,22.450000	123,40.8949,-74.2516,34.050000
32,40.8641,-74.4121,19.850000	78,40.8927,-74.2242,20.950000	124,40.8932,-74.2557,31.550000
33,40.8667,-74.4149,21.750000	79,40.8900,-74.2197,15.950000	125,40.8920,-74.2521,30.050000
34,40.8669,-74.4138,22.500000	80,40.8868,-74.2165,20.700000	126,40.8910,-74.2503,30.800000
35,40.8669,-74.4138,18.450000	81,40.8838,-74.2123,17.950000	127,40.8890,-74.2476,28.000000
36,40.8670,-74.4137,19.050000	82,40.8813,-74.2083,14.000000	128,40.8862,-74.2457,25.650000
37,40.8675,-74.4128,18.200000	83,40.8789,-74.2060,10.100000	129,40.8847,-74.2448,22.600000
38,40.8675,-74.4128,17.950000	84,40.8792,-74.2043,6.200000	130,40.8827,-74.2437,13.650000
39,40.8664,-74.4102,19.450000	85,40.8810,-74.2074,15.200000	131,40.8804,-74.2423,13.800000
40,40.8649,-74.4050,9.700000	86,40.8839,-74.2122,14.950000	132,40.8768,-74.2403,15.300000
41,40.8640,-74.3994,13.950000	87,40.8871,-74.2167,18.500000	133,40.8756,-74.2396,12.900000
42,40.8639,-74.3975,20.300000	88,40.8909,-74.2205,20.000000	134,40.8756,-74.2396,12.500000
43,40.8636,-74.3937,15.750000	89,40.8931,-74.2251,13.400000	135,40.8756,-74.2396,12.700000
44,40.8631,-74.3885,20.650000	90,40.8942,-74.2304,12.300000	136,40.8756,-74.2396,12.550000

45,40.8629,-74.3855,26.350000  
46,40.8627,-74.3834,22.800000

91,40.8950,-74.2362,23.450000  
92,40.8952,-74.2414,29.250000

137,40.8734,-74.2383,11.350000  
138,40.8703,-74.2364,11.450000

### A.7 08021.TXT Data

Logging started on: 08/02/01at 6:51:45 PM

Center Frequency: 1.340000E+3

Logging stopped on: 08/02/01at 7:11:53 PM

Logging started on: 08/02/01at 7:26:32 PM

Center Frequency: 1.340000E+3

Logging stopped on: 08/02/01at 7:36:00 PM

Logging started on: 08/02/01at 7:43:55 PM

Center Frequency: 1.340000E+3

Logging stopped on: 08/02/01at 9:11:29 PM

Entry, Latitude, Longitude, Level

1,40.6966,-74.2584,2.350000  
2,40.6933,-74.2639,3.400000  
3,40.6903,-74.2698,4.400000  
4,40.6865,-74.2744,3.800000  
5,40.6817,-74.2776,2.850000  
6,40.6765,-74.2792,4.850000  
7,40.6717,-74.2820,6.000000  
8,40.6670,-74.2854,5.150000  
9,40.6618,-74.2873,4.200000  
10,40.6566,-74.2874,6.750000  
11,40.6512,-74.2874,6.000000  
12,40.6458,-74.2878,5.300000  
13,40.6408,-74.2898,5.150000  
14,40.6363,-74.2936,5.000000  
15,40.6324,-74.2985,3.800000  
16,40.6285,-74.3029,7.050000  
17,40.6243,-74.3075,6.950000  
18,40.6195,-74.3106,6.350000  
19,40.6144,-74.3118,6.400000  
20,40.6091,-74.3131,7.800000  
21,40.6042,-74.3155,10.100000  
22,40.5994,-74.3188,9.000000  
23,40.5947,-74.3222,12.100000  
24,40.5899,-74.3256,11.850000  
25,40.5854,-74.3288,15.950000  
26,40.5803,-74.3312,16.800000  
27,40.5749,-74.3308,15.850000  
28,40.5702,-74.3280,19.250000  
29,40.5655,-74.3246,18.250000  
30,40.5605,-74.3217,16.050000  
31,40.5558,-74.3191,21.350000  
32,40.5508,-74.3161,21.850000  
33,40.5462,-74.3126,23.900000  
34,40.5417,-74.3092,25.000000  
35,40.5372,-74.3052,24.100000  
36,40.5333,-74.3004,21.700000  
37,40.5285,-74.2983,25.700000  
38,40.5232,-74.3003,24.600000  
39,40.5180,-74.3012,26.000000  
40,40.5130,-74.3008,29.250000  
41,40.5077,-74.3011,18.200000  
42,40.5024,-74.3015,28.150000  
43,40.4974,-74.3009,24.450000  
44,40.4922,-74.3011,24.950000  
45,40.4878,-74.3030,22.400000  
46,40.4850,-74.3030,21.050000  
47,40.4807,-74.3017,23.650000

100,40.5941,-74.2735,4.550000  
101,40.5900,-74.2765,9.700000  
102,40.5860,-74.2800,15.900000  
103,40.5851,-74.2807,16.100000  
104,40.5845,-74.2812,15.350000  
105,40.5834,-74.2821,11.150000  
106,40.5832,-74.2823,5.200000  
107,40.5830,-74.2826,5.850000  
108,40.5820,-74.2834,10.050000  
109,40.5816,-74.2838,11.600000  
110,40.5816,-74.2838,9.600000  
111,40.5805,-74.2847,13.050000  
112,40.5800,-74.2851,13.150000  
113,40.5794,-74.2857,8.850000  
114,40.5787,-74.2863,10.200000  
115,40.5785,-74.2865,8.600000  
116,40.5775,-74.2873,8.950000  
117,40.5752,-74.2894,10.550000  
118,40.5726,-74.2920,15.650000  
119,40.5702,-74.2942,20.100000  
120,40.5670,-74.2970,13.700000  
121,40.5637,-74.2998,16.400000  
122,40.5615,-74.3021,21.250000  
123,40.5585,-74.3058,9.500000  
124,40.5565,-74.3098,7.350000  
125,40.5543,-74.3144,13.700000  
126,40.5520,-74.3186,14.800000  
127,40.5507,-74.3210,14.750000  
128,40.5503,-74.3216,10.600000  
129,40.5503,-74.3216,10.650000  
130,40.5495,-74.3231,10.900000  
131,40.5476,-74.3266,18.750000  
132,40.5458,-74.3297,21.600000  
133,40.5453,-74.3307,24.900000  
134,40.5444,-74.3324,18.600000  
135,40.5440,-74.3331,11.000000  
136,40.5432,-74.3342,13.400000  
137,40.5430,-74.3346,9.250000  
138,40.5424,-74.3353,17.650000  
139,40.5410,-74.3372,22.300000  
140,40.5409,-74.3373,17.500000  
141,40.5389,-74.3402,17.500000  
142,40.5356,-74.3446,29.300000  
143,40.5322,-74.3492,31.800000  
144,40.5288,-74.3540,38.250000  
145,40.5253,-74.3587,46.250000  
146,40.5221,-74.3630,43.200000

199,40.5385,-74.4416,3.350000  
200,40.5407,-74.4383,8.050000  
201,40.5420,-74.4389,11.500000  
202,40.5420,-74.4389,14.600000  
203,40.5420,-74.4389,14.350000  
204,40.5438,-74.4401,9.500000  
205,40.5471,-74.4424,16.400000  
206,40.5504,-74.4440,6.750000  
207,40.5526,-74.4447,17.000000  
208,40.5526,-74.4447,16.350000  
209,40.5526,-74.4447,16.400000  
210,40.5548,-74.4455,17.900000  
211,40.5574,-74.4459,16.800000  
212,40.5574,-74.4462,13.250000  
213,40.5574,-74.4462,13.400000  
214,40.5572,-74.4468,13.150000  
215,40.5560,-74.4504,17.900000  
216,40.5564,-74.4573,16.650000  
217,40.5569,-74.4644,16.950000  
218,40.5570,-74.4712,15.050000  
219,40.5559,-74.4781,14.100000  
220,40.5540,-74.4844,12.900000  
221,40.5544,-74.4850,9.950000  
222,40.5518,-74.4824,6.650000  
223,40.5505,-74.4854,7.100000  
224,40.5531,-74.4854,10.200000  
225,40.5544,-74.4820,12.300000  
226,40.5550,-74.4803,12.000000  
227,40.5555,-74.4786,12.650000  
228,40.5560,-74.4759,13.650000  
229,40.5565,-74.4720,15.300000  
230,40.5567,-74.4673,12.650000  
231,40.5566,-74.4640,11.450000  
232,40.5564,-74.4616,18.150000  
233,40.5562,-74.4588,17.800000  
234,40.5560,-74.4558,19.550000  
235,40.5558,-74.4536,17.750000  
236,40.5557,-74.4517,17.700000  
237,40.5556,-74.4497,17.750000  
238,40.5554,-74.4475,18.100000  
239,40.5553,-74.4452,16.200000  
240,40.5555,-74.4415,17.750000  
241,40.5558,-74.4397,20.300000  
242,40.5560,-74.4386,19.600000  
243,40.5565,-74.4362,19.650000  
244,40.5572,-74.4328,19.550000  
245,40.5576,-74.4298,19.100000



48,40.4758,-74.2992,23.800000	147,40.5188,-74.3675,37.850000	246,40.5576,-74.4265,18.800000
49,40.4712,-74.2958,16.850000	148,40.5165,-74.3719,30.900000	247,40.5571,-74.4231,18.650000
50,40.4676,-74.2914,16.200000	149,40.5156,-74.3742,35.700000	248,40.5567,-74.4218,17.200000
51,40.4661,-74.2891,13.100000	150,40.5155,-74.3742,35.200000	249,40.5555,-74.4188,17.400000
52,40.4659,-74.2889,12.450000	151,40.5151,-74.3752,34.750000	250,40.5543,-74.4163,21.200000
53,40.4660,-74.2883,12.250000	152,40.5132,-74.3798,35.600000	251,40.5530,-74.4134,23.050000
54,40.4671,-74.2895,11.950000	153,40.5112,-74.3846,34.500000	252,40.5518,-74.4109,22.400000
55,40.4700,-74.2936,15.200000	154,40.5098,-74.3878,28.900000	253,40.5504,-74.4081,23.050000
56,40.4741,-74.2976,17.200000	155,40.5077,-74.3923,26.500000	254,40.5494,-74.4058,22.750000
57,40.4790,-74.3006,13.500000	156,40.5054,-74.3965,29.550000	255,40.5484,-74.4036,24.500000
58,40.4841,-74.3021,23.450000	157,40.5044,-74.3984,19.650000	256,40.5466,-74.3998,22.850000
59,40.4877,-74.3025,22.400000	158,40.5025,-74.4021,12.600000	257,40.5444,-74.3952,24.450000
60,40.4890,-74.3020,21.300000	159,40.5004,-74.4061,12.000000	258,40.5419,-74.3906,27.100000
61,40.4932,-74.3003,21.250000	160,40.4981,-74.4105,22.700000	259,40.5386,-74.3852,29.350000
62,40.4985,-74.3007,24.600000	161,40.4944,-74.4129,22.900000	260,40.5355,-74.3801,33.500000
63,40.5042,-74.3011,24.500000	162,40.4901,-74.4137,24.750000	261,40.5320,-74.3744,35.250000
64,40.5094,-74.3007,29.150000	163,40.4860,-74.4160,19.950000	262,40.5289,-74.3681,36.900000
65,40.5143,-74.3006,30.700000	164,40.4826,-74.4190,17.550000	263,40.5276,-74.3611,42.800000
66,40.5193,-74.3004,27.150000	165,40.4789,-74.4226,17.400000	264,40.5282,-74.3548,51.650000
67,40.5199,-74.2968,22.400000	166,40.4754,-74.4269,9.400000	265,40.5286,-74.3524,39.450000
68,40.5204,-74.2939,19.050000	167,40.4720,-74.4312,12.000000	266,40.5290,-74.3501,37.700000
69,40.5242,-74.2895,22.700000	168,40.4699,-74.4344,12.200000	267,40.5294,-74.3472,35.900000
70,40.5280,-74.2851,17.100000	169,40.4681,-74.4375,6.900000	268,40.5295,-74.3452,37.750000
71,40.5289,-74.2785,18.800000	170,40.4676,-74.4365,10.200000	269,40.5294,-74.3426,39.200000
72,40.5270,-74.2719,15.200000	171,40.4695,-74.4337,19.200000	270,40.5293,-74.3419,36.950000
73,40.5252,-74.2662,16.600000	172,40.4730,-74.4295,10.150000	271,40.5291,-74.3408,35.850000
74,40.5272,-74.2631,16.800000	173,40.4766,-74.4251,10.100000	272,40.5289,-74.3394,35.750000
75,40.5258,-74.2649,18.600000	174,40.4803,-74.4207,11.300000	273,40.5286,-74.3380,34.700000
76,40.5255,-74.2975,15.150000	175,40.4840,-74.4173,18.200000	274,40.5284,-74.3373,34.700000
77,40.5287,-74.2974,24.150000	176,40.4829,-74.4168,12.900000	275,40.5281,-74.3358,34.750000
78,40.5332,-74.2973,23.250000	177,40.4849,-74.4202,19.350000	276,40.5279,-74.3347,33.350000
79,40.5376,-74.2956,23.850000	178,40.4858,-74.4256,17.600000	277,40.5276,-74.3336,32.700000
80,40.5417,-74.2922,17.900000	179,40.4868,-74.4308,15.250000	278,40.5275,-74.3331,35.150000
81,40.5468,-74.2911,19.750000	180,40.4890,-74.4365,20.200000	279,40.5273,-74.3323,34.550000
82,40.5513,-74.2909,11.400000	181,40.4896,-74.4371,18.850000	280,40.5270,-74.3311,32.000000
83,40.5556,-74.2925,21.600000	182,40.4906,-74.4377,18.950000	281,40.5269,-74.3304,4.450000
84,40.5588,-74.2950,20.750000	183,40.4948,-74.4393,24.750000	282,40.5267,-74.3298,31.250000
85,40.5629,-74.2967,14.800000	184,40.4994,-74.4407,18.100000	283,40.5265,-74.3286,19.400000
86,40.5670,-74.2968,14.100000	185,40.5027,-74.4456,18.450000	284,40.5263,-74.3273,31.900000
87,40.5709,-74.2934,16.400000	186,40.5060,-74.4510,14.900000	285,40.5262,-74.3261,31.000000
88,40.5745,-74.2899,17.450000	187,40.5075,-74.4575,19.300000	286,40.5260,-74.3244,29.200000
89,40.5763,-74.2882,8.350000	188,40.5114,-74.4584,22.950000	287,40.5258,-74.3222,28.250000
90,40.5791,-74.2858,10.500000	189,40.5127,-74.4582,19.000000	288,40.5255,-74.3195,27.500000
91,40.5823,-74.2830,16.900000	190,40.5160,-74.4573,12.800000	289,40.5248,-74.3161,25.400000
92,40.5857,-74.2800,10.550000	191,40.5179,-74.4540,13.450000	290,40.5240,-74.3133,26.400000
93,40.5898,-74.2764,20.150000	192,40.5213,-74.4514,15.700000	291,40.5226,-74.3099,27.800000
94,40.5944,-74.2732,7.700000	193,40.5229,-74.4500,19.700000	292,40.5213,-74.3075,24.350000
95,40.5984,-74.2712,3.100000	194,40.5253,-74.4481,21.700000	293,40.5201,-74.3050,17.950000
96,40.5988,-74.2710,0.700000	195,40.5292,-74.4450,20.800000	294,40.5199,-74.3045,24.400000
97,40.5988,-74.2710,0.500000	196,40.5317,-74.4429,19.200000	295,40.5197,-74.3038,22.950000
98,40.5989,-74.2710,0.600000	197,40.5335,-74.4450,19.750000	296,40.5194,-74.3033,25.250000
99,40.5984,-74.2715,0.500000	198,40.5364,-74.4456,16.950000	297,40.5193,-74.3026,22.250000

## A.8 08031.TXT Data

Logging started on: 08/03/01at 6:40:30 PM

Center Frequency: 5.900000E+2

Logging stopped on: 08/03/01at 7:27:26 PM

Entry, Latitude, Longitude, Level

1,40.8606,-73.9709,21.250000	41,40.8673,-74.0369,22.900000	81,40.8887,-73.9976,22.550000
2,40.8605,-73.9710,20.500000	42,40.8673,-74.0435,20.650000	82,40.8860,-73.9925,22.950000
3,40.8605,-73.9710,19.850000	43,40.8677,-74.0499,18.850000	83,40.8828,-73.9876,18.200000
4,40.8610,-73.9689,16.750000	44,40.8694,-74.0558,18.350000	84,40.8803,-73.9833,20.350000
5,40.8610,-73.9687,18.350000	45,40.8727,-74.0596,17.550000	85,40.8776,-73.9786,23.400000
6,40.8612,-73.9673,18.400000	46,40.8763,-74.0622,15.750000	86,40.8749,-73.9741,21.850000
7,40.8599,-73.9622,20.050000	47,40.8792,-74.0636,11.500000	87,40.8714,-73.9724,17.100000
8,40.8614,-73.9579,18.150000	48,40.8819,-74.0650,10.200000	88,40.8672,-73.9737,17.200000

9,40.8653,-73.9547,18.200000	49,40.8836,-74.0658,11.950000	89,40.8635,-73.9749,18.400000
10,40.8698,-73.9536,14.400000	50,40.8847,-74.0664,9.500000	90,40.8628,-73.9752,19.550000
11,40.8741,-73.9509,16.850000	51,40.8860,-74.0674,9.300000	91,40.8621,-73.9754,16.750000
12,40.8788,-73.9492,16.750000	52,40.8867,-74.0681,3.850000	92,40.8618,-73.9754,18.350000
13,40.8799,-73.9474,14.800000	53,40.8880,-74.0690,10.200000	93,40.8612,-73.9756,20.850000
14,40.8798,-73.9498,12.150000	54,40.8892,-74.0696,8.200000	94,40.8609,-73.9757,17.050000
15,40.8803,-73.9487,14.850000	55,40.8901,-74.0700,12.250000	95,40.8605,-73.9759,18.450000
16,40.8758,-73.9506,14.850000	56,40.8904,-74.0701,10.200000	96,40.8603,-73.9760,20.250000
17,40.8714,-73.9529,12.400000	57,40.8918,-74.0708,11.550000	97,40.8600,-73.9761,19.100000
18,40.8671,-73.9545,13.750000	58,40.8940,-74.0718,10.450000	98,40.8599,-73.9761,18.900000
19,40.8627,-73.9568,14.700000	59,40.8968,-74.0730,8.850000	99,40.8598,-73.9761,18.400000
20,40.8597,-73.9612,17.900000	60,40.8992,-74.0731,7.750000	100,40.8595,-73.9763,20.150000
21,40.8615,-73.9661,18.450000	61,40.9030,-74.0722,11.500000	101,40.8590,-73.9763,16.200000
22,40.8607,-73.9699,7.900000	62,40.9078,-74.0711,4.300000	102,40.8585,-73.9764,13.250000
23,40.8605,-73.9704,11.500000	63,40.9126,-74.0711,10.400000	103,40.8580,-73.9762,1.350000
24,40.8602,-73.9709,11.500000	64,40.9176,-74.0724,9.300000	104,40.8578,-73.9760,20.100000
25,40.8591,-73.9723,12.700000	65,40.9199,-74.0691,11.700000	105,40.8573,-73.9751,20.400000
26,40.8591,-73.9723,11.250000	66,40.9185,-74.0634,5.500000	106,40.8581,-73.9738,19.400000
27,40.8586,-73.9727,11.550000	67,40.9170,-74.0580,7.250000	107,40.8585,-73.9779,21.900000
28,40.8578,-73.9733,16.400000	68,40.9156,-74.0529,8.550000	108,40.8569,-73.9822,22.150000
29,40.8618,-73.9743,16.600000	69,40.9143,-74.0480,8.350000	109,40.8533,-73.9848,20.700000
30,40.8665,-73.9750,18.600000	70,40.9130,-74.0432,9.250000	110,40.8496,-73.9875,22.600000
31,40.8709,-73.9784,7.950000	71,40.9106,-74.0384,9.500000	111,40.8458,-73.9913,21.550000
32,40.8746,-73.9833,25.450000	72,40.9072,-74.0344,13.100000	112,40.8420,-73.9956,19.450000
33,40.8759,-73.9895,29.200000	73,40.9032,-74.0306,9.700000	113,40.8425,-74.0005,17.800000
34,40.8741,-73.9960,29.350000	74,40.8994,-74.0265,15.400000	114,40.8437,-74.0052,8.350000
35,40.8708,-74.0013,35.550000	75,40.8968,-74.0215,8.800000	115,40.8446,-74.0111,22.050000
36,40.8673,-74.0057,48.250000	76,40.8959,-74.0190,9.200000	116,40.8467,-74.0148,20.550000
37,40.8656,-74.0118,34.250000	77,40.8949,-74.0163,0.950000	117,40.8482,-74.0188,16.700000
38,40.8657,-74.0176,28.600000	78,40.8935,-74.0124,18.250000	118,40.8464,-74.0180,21.450000
39,40.8666,-74.0238,22.750000	79,40.8921,-74.0082,17.150000	119,40.8418,-74.0183,22.700000
40,40.8674,-74.0305,19.850000	80,40.8904,-74.0029,12.700000	

### A.9 08032.TXT Data

Logging started on: 08/03/01at 7:28:18 PM

Center Frequency: 1.610000E+3

Logging stopped on: 08/03/01at 7:41:05 PM

Entry, Latitude, Longitude, Level		
1,40.8360,-74.0209,28.400000	12,40.7890,-74.0490,10.450000	23,40.7851,-74.0510,21.850000
2,40.8315,-74.0229,11.150000	13,40.7859,-74.0519,12.400000	24,40.7840,-74.0488,14.400000
3,40.8272,-74.0262,17.800000	14,40.7828,-74.0527,12.800000	25,40.7825,-74.0461,8.150000
4,40.8223,-74.0275,18.600000	15,40.7828,-74.0527,21.650000	26,40.7853,-74.0477,17.900000
5,40.8176,-74.0282,20.650000	16,40.7828,-74.0527,28.750000	27,40.7886,-74.0501,17.950000
6,40.8128,-74.0292,9.400000	17,40.7822,-74.0527,26.550000	28,40.7917,-74.0544,13.100000
7,40.8082,-74.0312,16.400000	18,40.7818,-74.0546,27.350000	29,40.7946,-74.0586,31.100000
8,40.8040,-74.0341,22.750000	19,40.7837,-74.0530,28.850000	30,40.7980,-74.0633,14.500000
9,40.8000,-74.0379,13.600000	20,40.7847,-74.0520,12.650000	31,40.8010,-74.0674,12.400000
10,40.7960,-74.0418,29.250000	21,40.7851,-74.0510,16.250000	32,40.8038,-74.0713,24.000000
11,40.7924,-74.0453,23.400000	22,40.7851,-74.0510,24.000000	

### A.10 08033.TXT Data

Logging started on: 08/03/01at 11:10:34 PM

Center Frequency: 1.380000E+3

Logging stopped on: 08/04/01at 12:23:56 AM

Entry	Latitude	Longitude	Level
1,40.3361,-74.6167,17.950000	63,40.2355,-74.7469,16.550000	125,40.2918,-74.7719,14.300000	
2,40.3361,-74.6166,18.100000	64,40.2328,-74.7450,14.300000	126,40.2895,-74.7659,13.050000	
3,40.3363,-74.6171,17.500000	65,40.2312,-74.7461,4.500000	127,40.2874,-74.7594,15.650000	
4,40.3348,-74.6154,19.350000	66,40.2296,-74.7494,7.550000	128,40.2867,-74.7525,15.250000	
5,40.3329,-74.6104,11.500000	67,40.2272,-74.7525,8.150000	129,40.2870,-74.7457,15.750000	
6,40.3331,-74.6074,3.500000	68,40.2256,-74.7543,1.800000	130,40.2863,-74.7388,18.850000	
7,40.3337,-74.6121,6.400000	69,40.2247,-74.7573,7.600000	131,40.2845,-74.7333,25.800000	
8,40.3358,-74.6172,12.950000	70,40.2239,-74.7586,10.500000	132,40.2816,-74.7317,22.400000	
9,40.3399,-74.6160,21.150000	71,40.2279,-74.7575,5.700000	133,40.2795,-74.7321,22.700000	
10,40.3395,-74.6119,19.750000	72,40.2312,-74.7527,13.300000	134,40.2772,-74.7326,18.350000	
11,40.3405,-74.6060,17.300000	73,40.2347,-74.7477,14.200000	135,40.2735,-74.7341,9.800000	
12,40.3405,-74.6000,14.200000	74,40.2379,-74.7427,15.300000	136,40.2710,-74.7374,8.150000	
13,40.3384,-74.5945,12.800000	75,40.2412,-74.7377,14.150000	137,40.2715,-74.7367,7.400000	
14,40.3361,-74.5891,5.450000	76,40.2451,-74.7333,14.500000	138,40.2751,-74.7330,12.200000	
15,40.3351,-74.5865,4.000000	77,40.2480,-74.7282,14.700000	139,40.2796,-74.7320,17.500000	
16,40.3366,-74.5899,7.900000	78,40.2514,-74.7231,18.350000	140,40.2834,-74.7317,20.750000	
17,40.3382,-74.5939,5.150000	79,40.2557,-74.7190,17.550000	141,40.2883,-74.7332,29.750000	
18,40.3398,-74.5978,14.900000	80,40.2607,-74.7166,19.450000	142,40.2916,-74.7341,22.400000	
19,40.3407,-74.5999,12.650000	81,40.2661,-74.7152,22.950000	143,40.2940,-74.7327,15.350000	
20,40.3408,-74.6053,14.750000	82,40.2707,-74.7114,24.750000	144,40.2963,-74.7308,17.100000	
21,40.3396,-74.6111,17.150000	83,40.2740,-74.7073,21.100000	145,40.2976,-74.7296,7.800000	
22,40.3404,-74.6156,20.300000	84,40.2759,-74.7051,32.900000	146,40.2997,-74.7277,21.550000	
23,40.3405,-74.6160,20.450000	85,40.2787,-74.7017,20.400000	147,40.2995,-74.7280,15.550000	
24,40.3424,-74.6204,21.150000	86,40.2818,-74.6977,32.100000	148,40.2982,-74.7292,18.750000	
25,40.3447,-74.6244,15.250000	87,40.2799,-74.6928,36.150000	149,40.2967,-74.7306,8.650000	
26,40.3413,-74.6264,19.950000	88,40.2746,-74.6911,29.750000	150,40.2937,-74.7331,10.400000	
27,40.3384,-74.6298,7.150000	89,40.2693,-74.6919,26.450000	151,40.2906,-74.7339,7.750000	
28,40.3373,-74.6311,16.000000	90,40.2641,-74.6929,20.250000	152,40.2896,-74.7336,9.500000	
29,40.3351,-74.6338,13.350000	91,40.2586,-74.6940,21.050000	153,40.2856,-74.7324,25.100000	
30,40.3329,-74.6364,21.400000	92,40.2538,-74.6959,16.900000	154,40.2857,-74.7324,22.600000	
31,40.3323,-74.6371,21.300000	93,40.2488,-74.6985,11.800000	155,40.2854,-74.7265,25.250000	
32,40.3308,-74.6389,20.700000	94,40.2442,-74.7009,15.450000	156,40.2855,-74.7194,28.150000	
33,40.3277,-74.6428,21.800000	95,40.2414,-74.7032,12.550000	157,40.2859,-74.7126,28.800000	
34,40.3239,-74.6473,24.550000	96,40.2419,-74.7004,6.900000	158,40.2863,-74.7060,28.600000	
35,40.3206,-74.6514,21.550000	97,40.2408,-74.6982,3.950000	159,40.2849,-74.6995,32.300000	
36,40.3181,-74.6543,33.300000	98,40.2422,-74.7005,4.200000	160,40.2821,-74.6961,37.050000	
37,40.3154,-74.6576,28.400000	99,40.2468,-74.6991,14.800000	161,40.2852,-74.6936,32.700000	
38,40.3139,-74.6595,30.800000	100,40.2517,-74.6965,15.650000	162,40.2893,-74.6890,37.400000	
39,40.3124,-74.6612,26.600000	101,40.2568,-74.6941,16.250000	163,40.2935,-74.6838,39.950000	
40,40.3095,-74.6647,40.100000	102,40.2618,-74.6929,18.050000	164,40.2976,-74.6789,48.150000	
41,40.3063,-74.6686,36.400000	103,40.2672,-74.6919,16.450000	165,40.3014,-74.6743,46.450000	
42,40.3030,-74.6726,38.100000	104,40.2725,-74.6909,24.750000	166,40.3016,-74.6741,43.500000	
43,40.2995,-74.6768,43.750000	105,40.2776,-74.6912,26.400000	167,40.3029,-74.6725,43.500000	
44,40.2961,-74.6809,51.350000	106,40.2823,-74.6943,33.950000	168,40.3066,-74.6680,36.500000	
45,40.2928,-74.6850,44.850000	107,40.2855,-74.6999,36.750000	169,40.3099,-74.6640,30.400000	
46,40.2894,-74.6890,47.100000	108,40.2866,-74.7060,30.100000	170,40.3119,-74.6615,31.200000	
47,40.2861,-74.6930,38.050000	109,40.2862,-74.7121,24.400000	171,40.3125,-74.6608,34.400000	
48,40.2825,-74.6974,26.800000	110,40.2859,-74.7183,23.450000	172,40.3152,-74.6575,29.550000	
49,40.2790,-74.7016,32.700000	111,40.2856,-74.7245,27.500000	173,40.3186,-74.6534,29.850000	
50,40.2757,-74.7056,19.050000	112,40.2859,-74.7313,21.650000	174,40.3228,-74.6484,26.200000	
51,40.2724,-74.7095,20.750000	113,40.2864,-74.7374,20.600000	175,40.3268,-74.6437,18.000000	
52,40.2692,-74.7134,17.600000	114,40.2872,-74.7434,18.250000	176,40.3305,-74.6391,23.200000	
53,40.2655,-74.7154,23.600000	115,40.2870,-74.7498,18.150000	177,40.3343,-74.6346,18.250000	
54,40.2608,-74.7167,23.500000	116,40.2872,-74.7563,15.300000	178,40.3380,-74.6300,15.950000	
55,40.2565,-74.7188,19.150000	117,40.2887,-74.7625,13.900000	179,40.3414,-74.6258,14.950000	
56,40.2525,-74.7217,16.750000	118,40.2922,-74.7678,15.600000	180,40.3451,-74.6214,15.450000	
57,40.2495,-74.7264,17.700000	119,40.2926,-74.7744,11.450000	181,40.3487,-74.6171,13.450000	
58,40.2465,-74.7312,16.800000	120,40.2918,-74.7803,10.750000	182,40.3520,-74.6130,11.050000	
59,40.2434,-74.7355,13.900000	121,40.2922,-74.7834,11.550000	183,40.3558,-74.6084,9.050000	
60,40.2403,-74.7396,14.350000	122,40.2901,-74.7849,8.650000	184,40.3573,-74.6043,10.000000	
61,40.2373,-74.7441,16.050000	123,40.2902,-74.7856,11.450000	185,40.3576,-74.6076,18.250000	
62,40.2371,-74.7465,17.000000	124,40.2912,-74.7790,11.150000	186,40.3581,-74.6113,19.350000	

### A.11 08061.TXT Data

Logging started on: 08/06/01 at 4:40:41 PM

Center Frequency: 5.300000E+2

Logging stopped on: 08/06/01 at 6:13:01 PM

Entry, Latitude, Longitude, Level

1,40.7415,-74.1792,8.950000  
 2,40.7414,-74.1793,6.400000  
 3,40.7409,-74.1778,6.000000  
 4,40.7402,-74.1760,7.450000  
 5,40.7390,-74.1752,14.250000  
 6,40.7373,-74.1762,9.050000  
 7,40.7372,-74.1763,6.600000  
 8,40.7372,-74.1763,6.350000  
 9,40.7358,-74.1769,17.850000  
 10,40.7329,-74.1782,4.050000  
 11,40.7324,-74.1785,9.050000  
 12,40.7316,-74.1768,15.250000  
 13,40.7309,-74.1756,12.500000  
 14,40.7309,-74.1756,10.900000  
 15,40.7305,-74.1752,11.850000  
 16,40.7285,-74.1763,18.750000  
 17,40.7281,-74.1765,22.700000  
 18,40.7280,-74.1766,22.000000  
 19,40.7259,-74.1779,22.750000  
 20,40.7235,-74.1793,20.950000  
 21,40.7214,-74.1805,22.150000  
 22,40.7214,-74.1805,19.550000  
 23,40.7210,-74.1808,20.150000  
 24,40.7210,-74.1808,20.100000  
 25,40.7202,-74.1798,17.000000  
 26,40.7202,-74.1798,24.900000  
 27,40.7202,-74.1798,21.300000  
 28,40.7202,-74.1798,23.450000  
 29,40.7196,-74.1781,17.800000  
 30,40.7197,-74.1784,17.250000  
 31,40.7198,-74.1787,15.050000  
 32,40.7198,-74.1789,18.500000  
 33,40.7200,-74.1793,18.400000  
 34,40.7192,-74.1805,24.250000  
 35,40.7180,-74.1819,21.100000  
 36,40.7156,-74.1839,24.750000  
 37,40.7122,-74.1829,25.650000  
 38,40.7088,-74.1812,25.850000  
 39,40.7051,-74.1832,29.750000  
 40,40.7014,-74.1857,30.600000  
 41,40.6978,-74.1876,32.100000  
 42,40.6939,-74.1897,34.300000  
 43,40.6901,-74.1920,32.250000  
 44,40.6858,-74.1930,25.700000  
 45,40.6818,-74.1941,24.550000  
 46,40.6781,-74.1967,23.700000  
 47,40.6778,-74.1970,20.300000  
 48,40.6777,-74.1971,19.750000  
 49,40.6754,-74.1989,18.700000  
 50,40.6720,-74.2011,19.550000  
 51,40.6694,-74.2026,16.000000  
 52,40.6691,-74.2028,15.700000  
 53,40.6679,-74.2035,13.450000  
 54,40.6644,-74.2057,14.950000  
 55,40.6606,-74.2083,6.050000  
 56,40.6564,-74.2108,21.300000  
 57,40.6531,-74.2133,12.750000  
 58,40.6521,-74.2163,11.350000  
 59,40.6510,-74.2204,11.500000  
 60,40.6486,-74.2238,12.850000  
 61,40.6458,-74.2263,6.300000  
 62,40.6420,-74.2297,11.300000  
 63,40.6380,-74.2332,14.150000  
 64,40.6338,-74.2367,7.250000  
 65,40.6308,-74.2395,6.100000  
 66,40.6289,-74.2412,6.350000  
 67,40.6289,-74.2412,7.200000  
 68,40.6289,-74.2412,7.150000  
 69,40.6306,-74.2394,4.250000  
 70,40.6344,-74.2358,2.650000  
 71,40.6359,-74.2343,5.800000  
 72,40.6380,-74.2326,7.350000  
 73,40.6401,-74.2273,10.550000  
 74,40.6421,-74.2212,13.700000  
 75,40.6432,-74.2144,13.200000  
 76,40.6410,-74.2112,12.850000

79,40.6432,-74.2042,15.800000  
 80,40.6473,-74.2022,20.400000  
 81,40.6510,-74.1975,11.650000  
 82,40.6539,-74.1920,20.500000  
 83,40.6577,-74.1874,20.700000  
 84,40.6622,-74.1843,23.350000  
 85,40.6665,-74.1808,19.950000  
 86,40.6707,-74.1768,23.100000  
 87,40.6750,-74.1728,22.550000  
 88,40.6794,-74.1696,26.250000  
 89,40.6840,-74.1664,26.850000  
 90,40.6887,-74.1631,27.600000  
 91,40.6932,-74.1600,24.300000  
 92,40.6978,-74.1566,21.350000  
 93,40.7026,-74.1539,21.150000  
 94,40.7071,-74.1511,20.100000  
 95,40.7111,-74.1467,19.650000  
 96,40.7136,-74.1406,18.000000  
 97,40.7169,-74.1357,16.350000  
 98,40.7220,-74.1345,14.050000  
 99,40.7266,-74.1313,13.500000  
 100,40.7304,-74.1270,16.250000  
 101,40.7348,-74.1241,14.900000  
 102,40.7390,-74.1237,12.650000  
 103,40.7428,-74.1226,16.400000  
 104,40.7474,-74.1209,17.900000  
 105,40.7524,-74.1188,17.300000  
 106,40.7549,-74.1163,15.100000  
 107,40.7547,-74.1209,6.650000  
 108,40.7541,-74.1247,14.400000  
 109,40.7507,-74.1283,12.400000  
 110,40.7467,-74.1321,12.400000  
 111,40.7447,-74.1377,12.950000  
 112,40.7432,-74.1440,15.650000  
 113,40.7425,-74.1506,14.150000  
 114,40.7433,-74.1569,12.100000  
 115,40.7470,-74.1617,17.350000  
 116,40.7481,-74.1663,12.850000  
 117,40.7478,-74.1694,19.600000  
 118,40.7477,-74.1679,7.250000  
 119,40.7477,-74.1679,7.350000  
 120,40.7469,-74.1674,7.750000  
 121,40.7454,-74.1671,17.200000  
 122,40.7436,-74.1673,17.550000  
 123,40.7415,-74.1661,16.350000  
 124,40.7412,-74.1659,11.800000  
 125,40.7398,-74.1657,12.900000  
 126,40.7398,-74.1657,12.400000  
 127,40.7398,-74.1657,13.050000  
 128,40.7373,-74.1655,14.100000  
 129,40.7364,-74.1657,5.150000  
 130,40.7348,-74.1664,1.400000  
 131,40.7348,-74.1664,1.000000  
 132,40.7345,-74.1665,0.700000  
 133,40.7324,-74.1672,11.700000  
 134,40.7316,-74.1677,11.650000  
 135,40.7294,-74.1700,10.200000  
 136,40.7269,-74.1725,14.400000  
 137,40.7248,-74.1747,13.250000  
 138,40.7224,-74.1772,14.150000  
 139,40.7200,-74.1797,18.400000  
 140,40.7187,-74.1811,21.300000  
 141,40.7170,-74.1831,21.950000  
 142,40.7142,-74.1838,23.900000  
 143,40.7110,-74.1823,25.750000  
 144,40.7085,-74.1826,28.350000  
 145,40.7082,-74.1873,27.750000  
 146,40.7080,-74.1936,27.150000  
 147,40.7067,-74.1996,27.700000  
 148,40.7036,-74.2048,25.300000  
 149,40.7004,-74.2100,8.850000  
 150,40.6981,-74.2151,2.700000  
 151,40.6970,-74.2205,10.750000  
 152,40.6980,-74.2257,13.600000  
 153,40.6993,-74.2311,8.250000  
 154,40.6993,-74.2370,18.450000

157,40.6990,-74.2385,0.900000  
 158,40.6993,-74.2335,13.050000  
 159,40.6983,-74.2268,17.850000  
 160,40.6970,-74.2209,11.850000  
 161,40.6975,-74.2158,14.400000  
 162,40.6999,-74.2114,12.400000  
 163,40.7021,-74.2069,20.400000  
 164,40.7050,-74.2021,16.200000  
 165,40.7076,-74.1969,20.450000  
 166,40.7079,-74.1911,26.750000  
 167,40.7073,-74.1848,27.050000  
 168,40.7048,-74.1835,26.900000  
 169,40.7015,-74.1856,28.600000  
 170,40.6985,-74.1865,29.700000  
 171,40.6960,-74.1881,35.250000  
 172,40.6932,-74.1864,38.050000  
 173,40.6917,-74.1839,37.450000  
 174,40.6890,-74.1838,35.250000  
 175,40.6882,-74.1810,31.900000  
 176,40.6903,-74.1781,32.550000  
 177,40.6934,-74.1773,31.450000  
 178,40.6944,-74.1776,28.650000  
 179,40.6946,-74.1778,20.450000  
 180,40.6952,-74.1798,10.350000  
 181,40.6934,-74.1829,29.600000  
 182,40.6934,-74.1855,42.350000  
 183,40.6958,-74.1848,42.850000  
 184,40.6996,-74.1838,36.450000  
 185,40.7040,-74.1830,33.200000  
 186,40.7065,-74.1783,30.200000  
 187,40.7113,-74.1777,27.500000  
 188,40.7108,-74.1811,26.800000  
 189,40.7089,-74.1876,25.700000  
 190,40.7099,-74.1942,27.650000  
 191,40.7128,-74.1994,23.550000  
 192,40.7153,-74.2051,19.600000  
 193,40.7166,-74.2113,18.400000  
 194,40.7166,-74.2174,17.950000  
 195,40.7144,-74.2235,19.900000  
 196,40.7102,-74.2283,14.850000  
 197,40.7072,-74.2399,17.700000  
 198,40.7053,-74.2406,16.900000  
 199,40.7059,-74.2474,16.100000  
 200,40.7079,-74.2506,13.250000  
 201,40.7093,-74.2478,13.750000  
 202,40.7107,-74.2441,15.250000  
 203,40.7150,-74.2418,14.250000  
 204,40.7184,-74.2365,13.100000  
 205,40.7217,-74.2315,13.250000  
 206,40.7258,-74.2271,17.050000  
 207,40.7298,-74.2230,3.250000  
 208,40.7343,-74.2199,17.250000  
 209,40.7391,-74.2167,11.600000  
 210,40.7435,-74.2140,17.150000  
 211,40.7485,-74.2125,19.500000  
 212,40.7532,-74.2108,13.650000  
 213,40.7553,-74.2081,11.050000  
 214,40.7570,-74.2050,11.700000  
 215,40.7560,-74.2007,4.200000  
 216,40.7531,-74.1949,15.200000  
 217,40.7514,-74.1882,8.900000  
 218,40.7506,-74.1869,17.350000  
 219,40.7506,-74.1869,17.250000  
 220,40.7500,-74.1868,17.250000  
 221,40.7485,-74.1878,4.850000  
 222,40.7480,-74.1882,5.150000  
 223,40.7480,-74.1882,6.400000  
 224,40.7473,-74.1887,4.350000  
 225,40.7473,-74.1887,10.450000  
 226,40.7470,-74.1885,10.050000  
 227,40.7462,-74.1848,14.400000  
 228,40.7458,-74.1835,16.900000  
 229,40.7452,-74.1815,18.350000  
 230,40.7448,-74.1803,15.500000  
 231,40.7437,-74.1804,10.000000  
 232,40.7422,-74.1813,14.000000

77,40.6406,-74.2097,10.150000  
78,40.6402,-74.2067,7.750000

155,40.7003,-74.2388,8.850000  
156,40.6983,-74.2390,9.150000

233,40.7417,-74.1804,9.650000  
234,40.7417,-74.1793,2.950000

### A.12 09041.TXT Data

Logging started on: 09/04/01at 9:01:32 PM

Center Frequency: 5.900000E+2

Logging stopped on: 09/04/01at 9:13:52 PM

Logging started on: 09/04/01at 9:25:31 PM

Center Frequency: 5.900000E+2

Logging stopped on: 09/04/01at 9:48:01 PM

Logging started on: 09/04/01at 9:51:17 PM

Center Frequency: 5.900000E+2

Logging stopped on: 09/04/01at 10:09:48 PM

Entry, Latitude, Longitude, Level

1,40.6991,-74.0724,37.200000  
2,40.7015,-74.0669,45.600000  
3,40.7030,-74.0680,40.850000  
4,40.7021,-74.0709,50.150000  
5,40.7024,-74.0758,45.850000  
6,40.7024,-74.0763,34.350000  
7,40.7042,-74.0752,29.400000  
8,40.7055,-74.0742,27.350000  
9,40.7059,-74.0738,31.500000  
10,40.7061,-74.0736,29.700000  
11,40.7090,-74.0720,30.250000  
12,40.7116,-74.0693,31.200000  
13,40.7126,-74.0686,25.850000  
14,40.7129,-74.0684,25.900000  
15,40.7135,-74.0679,25.950000  
16,40.7142,-74.0675,21.000000  
17,40.7153,-74.0668,22.500000  
18,40.7151,-74.0674,18.800000  
19,40.7158,-74.0688,27.700000  
20,40.7165,-74.0705,22.100000  
21,40.7167,-74.0711,23.100000  
22,40.7169,-74.0717,19.400000  
23,40.7174,-74.0727,20.300000  
24,40.7179,-74.0740,23.250000  
25,40.7184,-74.0751,22.850000  
26,40.7184,-74.0753,21.550000  
27,40.7189,-74.0765,21.050000  
28,40.7189,-74.0765,3.550000  
29,40.7192,-74.0770,0.600000  
30,40.7193,-74.0774,0.850000  
31,40.6728,-74.1741,16.850000  
32,40.6758,-74.1717,15.500000  
33,40.6805,-74.1684,13.650000  
34,40.6855,-74.1650,15.000000  
35,40.6904,-74.1616,16.650000  
36,40.6952,-74.1581,16.150000  
37,40.6998,-74.1547,13.100000  
38,40.7046,-74.1517,15.050000  
39,40.7053,-74.1485,19.800000  
40,40.7049,-74.1474,16.200000  
41,40.7045,-74.1464,17.600000  
42,40.7039,-74.1451,16.400000

43,40.7035,-74.1443,19.100000  
44,40.7030,-74.1431,16.800000  
45,40.7021,-74.1404,16.600000  
46,40.7013,-74.1382,14.350000  
47,40.7007,-74.1363,19.700000  
48,40.6999,-74.1335,21.700000  
49,40.6995,-74.1323,22.900000  
50,40.6989,-74.1304,20.850000  
51,40.6979,-74.1271,23.150000  
52,40.6974,-74.1252,23.400000  
53,40.6970,-74.1239,24.300000  
54,40.6962,-74.1212,4.100000  
55,40.6952,-74.1180,21.600000  
56,40.6947,-74.1166,26.050000  
57,40.6944,-74.1154,23.000000  
58,40.6935,-74.1125,27.250000  
59,40.6933,-74.1120,27.250000  
60,40.6931,-74.1111,27.050000  
61,40.6925,-74.1093,27.450000  
62,40.6920,-74.1076,18.650000  
63,40.6913,-74.1055,24.100000  
64,40.6908,-74.1040,23.400000  
65,40.6901,-74.1028,22.050000  
66,40.6873,-74.0992,23.050000  
67,40.6860,-74.0936,24.900000  
68,40.6881,-74.0882,28.150000  
69,40.6918,-74.0840,25.650000  
70,40.6960,-74.0795,30.200000  
71,40.6986,-74.0740,34.200000  
72,40.7006,-74.0690,40.350000  
73,40.7041,-74.0651,43.350000  
74,40.7062,-74.0616,37.550000  
75,40.7084,-74.0578,33.700000  
76,40.7117,-74.0543,28.400000  
77,40.7163,-74.0557,30.300000  
78,40.7209,-74.0551,27.400000  
79,40.7258,-74.0533,28.950000  
80,40.7305,-74.0511,27.900000  
81,40.7306,-74.0463,23.850000  
82,40.7305,-74.0449,18.450000  
83,40.7305,-74.0449,17.550000  
84,40.7305,-74.0449,19.000000

85,40.7303,-74.0444,18.250000  
86,40.7302,-74.0442,0.750000  
87,40.7302,-74.0442,0.750000  
88,40.7303,-74.0437,13.550000  
89,40.7304,-74.0432,18.550000  
90,40.7312,-74.0429,19.650000  
91,40.7313,-74.0428,18.650000  
92,40.7319,-74.0436,16.700000  
93,40.7319,-74.0440,18.700000  
94,40.7320,-74.0457,16.600000  
95,40.7316,-74.0482,21.200000  
96,40.7314,-74.0491,20.450000  
97,40.7313,-74.0497,22.800000  
98,40.7312,-74.0503,20.100000  
99,40.7313,-74.0517,23.950000  
100,40.7316,-74.0522,12.000000  
101,40.7324,-74.0534,0.500000  
102,40.7388,-74.0612,9.800000  
103,40.7393,-74.0633,20.550000  
104,40.7391,-74.0682,15.450000  
105,40.7385,-74.0739,18.400000  
106,40.7374,-74.0802,13.850000  
107,40.7362,-74.0869,22.950000  
108,40.7352,-74.0938,24.850000  
109,40.7347,-74.1011,31.800000  
110,40.7347,-74.1080,23.550000  
111,40.7350,-74.1152,23.300000  
112,40.7351,-74.1226,1.950000  
113,40.7329,-74.1286,17.900000  
114,40.7298,-74.1342,21.650000  
115,40.7265,-74.1400,17.500000  
116,40.7233,-74.1456,14.700000  
117,40.7200,-74.1515,17.450000  
118,40.7161,-74.1560,11.200000  
119,40.7118,-74.1586,17.100000  
120,40.7107,-74.1634,16.900000  
121,40.7115,-74.1691,12.150000  
122,40.7113,-74.1743,16.350000  
123,40.7107,-74.1804,13.650000  
124,40.7091,-74.1866,10.900000  
125,40.7091,-74.1917,14.500000  
126,40.7098,-74.1937,14.850000

## A.13 09042.TXT Data

Logging started on: 09/05/01 at 2:26:38 AM

Center Frequency: 1.610000E+3

Logging stopped on: 09/05/01 at 3:49:29 AM

Logging started on: 09/05/01 at 4:05:22 AM

Center Frequency: 1.610000E+3

Logging stopped on: 09/05/01 at 4:17:36 AM

Entry, Latitude, Longitude, Level

1,40.2549,-74.0799,7.700000	82,40.5793,-74.3310,17.150000	163,40.4373,-74.1418,17.650000
2,40.2568,-74.0796,8.500000	83,40.5844,-74.3290,15.550000	164,40.4361,-74.1367,12.950000
3,40.2613,-74.0789,5.500000	84,40.5891,-74.3257,13.900000	165,40.4355,-74.1325,15.500000
4,40.2658,-74.0778,5.150000	85,40.5936,-74.3224,13.700000	166,40.4351,-74.1291,9.850000
5,40.2705,-74.0781,4.550000	86,40.5983,-74.3191,13.350000	167,40.4345,-74.1241,14.450000
6,40.2753,-74.0799,5.000000	87,40.6029,-74.3158,13.550000	168,40.4340,-74.1187,10.150000
7,40.2798,-74.0827,4.150000	88,40.6076,-74.3130,10.250000	169,40.4323,-74.1141,9.650000
8,40.2845,-74.0862,2.600000	89,40.6128,-74.3118,10.950000	170,40.4299,-74.1098,10.150000
9,40.2891,-74.0893,2.600000	90,40.6181,-74.3107,6.050000	171,40.4273,-74.1055,6.150000
10,40.2942,-74.0908,3.000000	91,40.6227,-74.3084,8.900000	172,40.4249,-74.1017,6.000000
11,40.2997,-74.0919,2.600000	92,40.6258,-74.3052,9.100000	173,40.4224,-74.0971,9.500000
12,40.3051,-74.0930,2.500000	93,40.6261,-74.3043,6.500000	174,40.4206,-74.0923,3.150000
13,40.3102,-74.0947,0.750000	94,40.6275,-74.3043,8.200000	175,40.4191,-74.0877,3.800000
14,40.3156,-74.0966,1.900000	95,40.6266,-74.3054,7.900000	176,40.4186,-74.0823,7.850000
15,40.3209,-74.0978,1.250000	96,40.6226,-74.3089,9.300000	177,40.4177,-74.0769,6.250000
16,40.3265,-74.0979,1.350000	97,40.6178,-74.3111,9.400000	178,40.4168,-74.0720,9.150000
17,40.3320,-74.0981,2.150000	98,40.6125,-74.3122,8.200000	179,40.4159,-74.0668,4.300000
18,40.3372,-74.0999,2.600000	99,40.6074,-74.3138,10.900000	180,40.4149,-74.0612,10.600000
19,40.3414,-74.1033,1.600000	100,40.6027,-74.3165,11.600000	181,40.4140,-74.0560,7.400000
20,40.3441,-74.1091,1.850000	101,40.5981,-74.3198,14.800000	182,40.4129,-74.0507,9.300000
21,40.3471,-74.1145,2.700000	102,40.5934,-74.3232,15.250000	183,40.4113,-74.0459,8.100000
22,40.3515,-74.1178,1.350000	103,40.5889,-74.3264,15.000000	184,40.4097,-74.0411,6.450000
23,40.3551,-74.1227,2.100000	104,40.5842,-74.3297,16.100000	185,40.4075,-74.0367,5.150000
24,40.3575,-74.1288,2.050000	105,40.5791,-74.3314,15.450000	186,40.4051,-74.0329,3.300000
25,40.3603,-74.1343,2.000000	106,40.5740,-74.3305,16.550000	187,40.4033,-74.0290,3.700000
26,40.3641,-74.1390,0.950000	107,40.5693,-74.3274,10.700000	188,40.4034,-74.0242,4.750000
27,40.3686,-74.1423,0.700000	108,40.5646,-74.3241,15.450000	189,40.4053,-74.0197,4.650000
28,40.3729,-74.1451,3.450000	109,40.5599,-74.3215,24.700000	190,40.4064,-74.0146,5.700000
29,40.3769,-74.1488,1.850000	110,40.5551,-74.3187,25.400000	191,40.4057,-74.0088,1.750000
30,40.3798,-74.1549,1.900000	111,40.5502,-74.3157,26.100000	192,40.4050,-74.0032,3.800000
31,40.3821,-74.1607,2.450000	112,40.5459,-74.3124,28.250000	193,40.4035,-73.9996,2.250000
32,40.3841,-74.1668,3.650000	113,40.5413,-74.3089,30.000000	194,40.4024,-73.9949,6.400000
33,40.3860,-74.1731,3.900000	114,40.5369,-74.3048,37.050000	195,40.4006,-73.9901,3.650000
34,40.3890,-74.1781,4.650000	115,40.5332,-74.3002,35.800000	196,40.3987,-73.9860,3.400000
35,40.3934,-74.1816,7.100000	116,40.5282,-74.2984,33.050000	197,40.3967,-73.9822,2.950000
36,40.3979,-74.1847,9.350000	117,40.5231,-74.3004,28.150000	198,40.3962,-73.9781,1.500000
37,40.4014,-74.1893,11.350000	118,40.5180,-74.3012,29.050000	199,40.3939,-73.9759,4.850000
38,40.4045,-74.1947,12.550000	119,40.5128,-74.3008,29.850000	200,40.3906,-73.9755,2.500000
39,40.4087,-74.1984,10.100000	120,40.5074,-74.3012,28.350000	201,40.3870,-73.9750,4.000000
40,40.4134,-74.2000,13.600000	121,40.5023,-74.3015,28.850000	202,40.3836,-73.9748,4.750000
41,40.4178,-74.2035,15.600000	122,40.4970,-74.3009,23.200000	203,40.3800,-73.9746,2.600000
42,40.4204,-74.2092,17.250000	123,40.4918,-74.3012,21.900000	204,40.3766,-73.9744,4.350000
43,40.4223,-74.2150,15.600000	124,40.4874,-74.3031,22.000000	205,40.3732,-73.9742,3.750000
44,40.4253,-74.2205,12.750000	125,40.4848,-74.3033,21.350000	206,40.3696,-73.9742,4.550000
45,40.4281,-74.2258,17.050000	126,40.4810,-74.3020,20.100000	207,40.3663,-73.9741,2.750000
46,40.4290,-74.2326,16.200000	127,40.4764,-74.2998,19.850000	208,40.3648,-73.9741,4.900000
47,40.4296,-74.2392,13.850000	128,40.4717,-74.2967,9.000000	209,40.3625,-73.9741,3.350000
48,40.4313,-74.2453,11.550000	129,40.4676,-74.2921,17.450000	210,40.3622,-73.9730,1.700000
49,40.4346,-74.2503,13.600000	130,40.4639,-74.2875,15.900000	211,40.3621,-73.9729,4.950000
50,40.4379,-74.2556,10.650000	131,40.4612,-74.2815,13.600000	212,40.3625,-73.9739,4.700000
51,40.4406,-74.2609,13.400000	132,40.4573,-74.2766,11.600000	213,40.3625,-73.9739,4.050000
52,40.4440,-74.2660,12.950000	133,40.4530,-74.2729,11.450000	214,40.3625,-73.9739,2.550000
53,40.4483,-74.2689,12.450000	134,40.4483,-74.2696,12.750000	215,40.3625,-73.9739,1.950000
54,40.4530,-74.2721,11.350000	135,40.4435,-74.2667,13.400000	216,40.3609,-73.9742,1.250000
55,40.4571,-74.2757,13.600000	136,40.4401,-74.2617,14.350000	217,40.3578,-73.9738,5.100000
56,40.4611,-74.2799,11.250000	137,40.4370,-74.2560,15.100000	218,40.3540,-73.9738,2.200000
57,40.4647,-74.2848,10.450000	138,40.4336,-74.2507,12.150000	219,40.3498,-73.9738,3.950000
58,40.4677,-74.2897,10.550000	139,40.4304,-74.2454,14.250000	220,40.3455,-73.9740,3.200000
59,40.4712,-74.2946,14.200000	140,40.4288,-74.2387,13.900000	221,40.3414,-73.9740,2.500000
60,40.4755,-74.2983,12.600000	141,40.4283,-74.2317,12.450000	222,40.3371,-73.9743,3.550000

61,40.4800,-74.3009,13.350000	142,40.4268,-74.2254,11.050000	223,40.3328,-73.9748,1.450000
62,40.4850,-74.3023,20.000000	143,40.4241,-74.2193,13.400000	224,40.3292,-73.9753,3.800000
63,40.4886,-74.3019,20.900000	144,40.4210,-74.2141,14.400000	225,40.3254,-73.9763,4.000000
64,40.4922,-74.3006,21.400000	145,40.4187,-74.2103,15.150000	226,40.3212,-73.9780,3.450000
65,40.4975,-74.3003,23.700000	146,40.4201,-74.2064,16.500000	227,40.3180,-73.9796,3.400000
66,40.5027,-74.3012,20.300000	147,40.4221,-74.2058,18.100000	228,40.3138,-73.9802,2.550000
67,40.5077,-74.3009,26.500000	148,40.4253,-74.2044,17.400000	229,40.3095,-73.9806,5.750000
68,40.5131,-74.3006,27.050000	149,40.4256,-74.2001,21.450000	230,40.3054,-73.9811,3.350000
69,40.5184,-74.3009,29.050000	150,40.4273,-74.1953,21.600000	231,40.3014,-73.9816,2.950000
70,40.5234,-74.2997,27.150000	151,40.4287,-74.1907,17.300000	232,40.2976,-73.9812,2.100000
71,40.5285,-74.2980,27.400000	152,40.4297,-74.1876,24.400000	233,40.2935,-73.9822,2.600000
72,40.5334,-74.3001,30.950000	153,40.4298,-74.1875,22.500000	234,40.2894,-73.9832,2.850000
73,40.5371,-74.3047,34.400000	154,40.4316,-74.1838,24.650000	235,40.2852,-73.9840,1.500000
74,40.5414,-74.3087,34.800000	155,40.4335,-74.1807,24.000000	236,40.2822,-73.9846,2.550000
75,40.5461,-74.3122,32.200000	156,40.4357,-74.1769,29.500000	237,40.2792,-73.9852,2.400000
76,40.5505,-74.3156,28.500000	157,40.4374,-74.1726,32.950000	238,40.2813,-73.9847,4.200000
77,40.5553,-74.3184,28.050000	158,40.4377,-74.1676,31.200000	239,40.2815,-73.9877,2.400000
78,40.5603,-74.3210,26.700000	159,40.4380,-74.1632,27.850000	240,40.2811,-73.9917,1.400000
79,40.5649,-74.3238,21.550000	160,40.4383,-74.1578,25.500000	241,40.2812,-73.9960,2.550000
80,40.5696,-74.3272,15.650000	161,40.4385,-74.1522,17.600000	
81,40.5743,-74.3303,12.050000	162,40.4382,-74.1466,21.650000	

### A.14 09051.TXT Data

Logging started on: 09/05/01at 6:31:15 PM

Center Frequency: 1.610000E+3

Logging stopped on: 09/05/01at 6:47:02 PM

Logging started on: 09/05/01at 7:01:04 PM

Center Frequency: 1.610000E+3

Logging stopped on: 09/05/01at 8:02:39 PM

Entry, Latitude, Longitude, Level

1,40.1773,-74.5099,3.800000	67,40.0533,-74.8231,4.500000	133,39.8611,-75.1442,15.950000
2,40.1775,-74.5111,2.000000	68,40.0495,-74.8285,3.700000	134,39.8610,-75.1511,7.800000
3,40.1779,-74.5177,2.500000	69,40.0457,-74.8335,3.650000	135,39.8593,-75.1576,12.550000
4,40.1770,-74.5251,3.100000	70,40.0409,-74.8373,6.000000	136,39.8563,-75.1633,9.500000
5,40.1766,-74.5322,3.900000	71,40.0356,-74.8396,5.450000	137,39.8534,-75.1687,13.600000
6,40.1770,-74.5397,3.450000	72,40.0304,-74.8416,4.600000	138,39.8504,-75.1744,9.000000
7,40.1781,-74.5471,2.250000	73,40.0250,-74.8438,6.000000	139,39.8475,-75.1801,9.350000
8,40.1803,-74.5536,2.550000	74,40.0198,-74.8458,8.300000	140,39.8445,-75.1854,9.550000
9,40.1826,-74.5605,3.250000	75,40.0140,-74.8482,12.050000	141,39.8415,-75.1911,7.800000
10,40.1849,-74.5674,3.800000	76,40.0090,-74.8517,13.950000	142,39.8387,-75.1970,4.800000
11,40.1872,-74.5739,2.800000	77,40.0050,-74.8564,18.000000	143,39.8364,-75.2028,6.550000
12,40.1895,-74.5808,4.500000	78,40.0010,-74.8615,19.850000	144,39.8340,-75.2090,4.850000
13,40.1911,-74.5880,3.450000	79,39.9971,-74.8665,19.150000	145,39.8317,-75.2148,3.500000
14,40.1924,-74.5949,4.400000	80,39.9939,-74.8728,22.350000	146,39.8292,-75.2212,4.600000
15,40.1943,-74.6020,12.600000	81,39.9915,-74.8791,27.000000	147,39.8262,-75.2275,3.900000
16,40.1965,-74.6089,3.200000	82,39.9881,-74.8850,29.750000	148,39.8230,-75.2336,4.250000
17,40.1984,-74.6157,5.450000	83,39.9846,-74.8908,37.600000	149,39.8204,-75.2398,3.050000
18,40.1999,-74.6230,1.600000	84,39.9802,-74.8952,47.800000	150,39.8182,-75.2466,3.700000
19,40.2014,-74.6302,2.250000	85,39.9759,-74.9001,42.950000	151,39.8164,-75.2536,2.700000
20,40.2028,-74.6375,4.150000	86,39.9717,-74.9053,39.650000	152,39.8148,-75.2603,1.850000
21,40.2034,-74.6445,5.000000	87,39.9680,-74.9106,36.300000	153,39.8131,-75.2674,3.000000
22,40.2022,-74.6519,4.700000	88,39.9634,-74.9151,34.550000	154,39.8115,-75.2745,1.850000
23,40.2003,-74.6587,3.650000	89,39.9589,-74.9194,32.250000	155,39.8098,-75.2812,2.750000
24,40.1984,-74.6657,8.100000	90,39.9547,-74.9246,28.650000	156,39.8082,-75.2883,2.650000
25,40.1967,-74.6722,6.850000	91,39.9506,-74.9297,25.000000	157,39.8069,-75.2955,3.600000
26,40.1949,-74.6786,7.100000	92,39.9469,-74.9355,24.900000	158,39.8058,-75.3024,2.050000
27,40.1921,-74.6849,7.250000	93,39.9440,-74.9417,24.250000	159,39.8046,-75.3095,1.900000
28,40.1884,-74.6906,7.550000	94,39.9418,-74.9486,22.450000	160,39.8011,-75.3148,3.050000
29,40.1855,-74.6965,9.750000	95,39.9398,-74.9552,20.700000	161,39.7965,-75.3196,2.700000
30,40.1858,-74.7039,10.100000	96,39.9370,-74.9622,17.450000	162,39.7937,-75.3256,3.400000
31,40.1849,-74.7108,10.750000	97,39.9336,-74.9679,17.750000	163,39.7898,-75.3311,1.900000
32,40.1840,-74.7181,12.650000	98,39.9303,-74.9720,15.750000	164,39.7850,-75.3348,2.950000
33,40.1840,-74.7236,10.450000	99,39.9260,-74.9759,15.400000	165,39.7801,-75.3381,3.850000
34,40.1855,-74.7240,9.350000	100,39.9211,-74.9790,12.150000	166,39.7758,-75.3428,4.900000

35,40.1831,-74.7225,12.550000	101,39.9157,-74.9815,15.800000	167,39.7720,-75.3478,8.050000
36,40.1786,-74.7227,13.200000	102,39.9104,-74.9838,13.250000	168,39.7680,-75.3532,6.400000
37,40.1732,-74.7228,14.000000	103,39.9054,-74.9860,14.600000	169,39.7639,-75.3585,7.100000
38,40.1676,-74.7215,16.400000	104,39.9000,-74.9892,13.050000	170,39.7601,-75.3635,10.000000
39,40.1623,-74.7196,17.650000	105,39.8953,-74.9936,12.800000	171,39.7561,-75.3687,11.000000
40,40.1570,-74.7183,21.150000	106,39.8917,-74.9986,11.550000	172,39.7522,-75.3740,11.950000
41,40.1561,-74.7182,21.450000	107,39.8874,-75.0037,14.400000	173,39.7485,-75.3792,11.150000
42,40.1519,-74.7188,21.050000	108,39.8832,-75.0079,12.400000	174,39.7451,-75.3851,13.400000
43,40.1464,-74.7196,23.500000	109,39.8788,-75.0122,12.800000	175,39.7418,-75.3907,12.650000
44,40.1411,-74.7176,18.700000	110,39.8747,-75.0172,15.150000	176,39.7384,-75.3966,12.450000
45,40.1359,-74.7159,22.050000	111,39.8721,-75.0234,15.200000	177,39.7349,-75.4024,13.350000
46,40.1303,-74.7157,31.800000	112,39.8713,-75.0303,16.950000	178,39.7315,-75.4083,14.650000
47,40.1248,-74.7173,32.700000	113,39.8723,-75.0371,19.550000	179,39.7281,-75.4138,17.400000
48,40.1200,-74.7205,30.500000	114,39.8745,-75.0437,17.650000	180,39.7247,-75.4197,20.450000
49,40.1159,-74.7254,25.950000	115,39.8756,-75.0508,25.650000	181,39.7212,-75.4255,21.700000
50,40.1125,-74.7312,22.750000	116,39.8749,-75.0575,28.600000	182,39.7179,-75.4312,17.100000
51,40.1090,-74.7364,20.150000	117,39.8722,-75.0644,28.400000	183,39.7144,-75.4370,18.700000
52,40.1051,-74.7417,14.500000	118,39.8721,-75.0720,31.000000	184,39.7109,-75.4429,18.750000
53,40.1012,-74.7466,18.150000	119,39.8728,-75.0792,32.900000	185,39.7077,-75.4484,14.500000
54,40.0964,-74.7504,14.650000	120,39.8723,-75.0855,26.050000	186,39.7044,-75.4545,16.050000
55,40.0914,-74.7539,18.100000	121,39.8729,-75.0916,29.450000	187,39.7010,-75.4604,13.050000
56,40.0868,-74.7575,15.900000	122,39.8745,-75.0965,27.000000	188,39.6970,-75.4652,16.000000
57,40.0827,-74.7624,11.700000	123,39.8776,-75.1007,21.950000	189,39.6928,-75.4701,13.200000
58,40.0794,-74.7683,12.000000	124,39.8772,-75.1045,7.600000	190,39.6887,-75.4748,8.850000
59,40.0766,-74.7743,11.900000	125,39.8740,-75.1027,22.100000	191,39.6845,-75.4797,8.750000
60,40.0734,-74.7804,9.400000	126,39.8697,-75.1022,13.400000	192,39.6806,-75.4843,5.950000
61,40.0703,-74.7864,6.450000	127,39.8660,-75.1049,26.150000	193,39.6795,-75.4900,8.150000
62,40.0672,-74.7923,7.700000	128,39.8637,-75.1106,27.200000	194,39.6812,-75.4927,1.950000
63,40.0645,-74.7986,6.000000	129,39.8612,-75.1166,25.850000	195,39.6806,-75.4925,9.000000
64,40.0630,-74.8054,5.650000	130,39.8594,-75.1230,21.200000	196,39.6779,-75.4942,5.650000
65,40.0606,-74.8123,4.450000	131,39.8590,-75.1299,21.850000	
66,40.0572,-74.8178,5.750000	132,39.8600,-75.1366,18.600000	

### A.15 09052.TXT Data

Logging started on: 09/05/01 at 9:00:40 PM

Center Frequency: 8.300000E+2

Logging stopped on: 09/05/01 at 9:16:27 PM

Entry, Latitude, Longitude, Level		
1,39.6770,-75.4864,36.550000	15,39.7165,-75.4709,9.900000	29,39.7589,-75.4374,9.400000
2,39.6805,-75.4831,39.050000	16,39.7193,-75.4694,14.150000	30,39.7624,-75.4329,15.700000
3,39.6823,-75.4797,40.750000	17,39.7222,-75.4666,21.500000	31,39.7655,-75.4284,12.500000
4,39.6833,-75.4809,44.900000	18,39.7253,-75.4646,17.000000	32,39.7692,-75.4243,11.200000
5,39.6847,-75.4834,43.350000	19,39.7256,-75.4644,14.050000	33,39.7728,-75.4203,7.800000
6,39.6867,-75.4866,34.200000	20,39.7278,-75.4629,12.350000	34,39.7762,-75.4164,15.300000
7,39.6874,-75.4879,19.200000	21,39.7309,-75.4608,10.250000	35,39.7798,-75.4123,10.550000
8,39.6909,-75.4855,33.450000	22,39.7345,-75.4591,14.900000	36,39.7833,-75.4085,14.300000
9,39.6946,-75.4819,36.150000	23,39.7384,-75.4572,14.400000	37,39.7862,-75.4045,5.850000
10,39.6980,-75.4786,37.250000	24,39.7422,-75.4554,13.750000	38,39.7875,-75.3992,14.250000
11,39.7014,-75.4752,34.850000	25,39.7458,-75.4531,15.200000	39,39.7888,-75.3937,14.100000
12,39.7049,-75.4715,29.350000	26,39.7489,-75.4494,7.500000	40,39.7903,-75.3878,13.500000
13,39.7090,-75.4703,34.150000	27,39.7521,-75.4455,14.700000	
14,39.7127,-75.4706,16.650000	28,39.7553,-75.4416,16.200000	

### A.16 09053.TXT Data

Logging started on: 09/05/01 at 9:17:23 PM

Center Frequency: 1.380000E+3

Logging stopped on: 09/05/01 at 9:30:54 PM



Entry, Latitude, Longitude, Level		
1,39.7948,-75.3698,29.200000	17,39.8122,-75.2704,27.650000	33,39.8538,-75.1675,21.550000
2,39.7968,-75.3646,37.050000	18,39.8137,-75.2637,27.250000	34,39.8571,-75.1614,21.900000
3,39.7993,-75.3592,32.450000	19,39.8154,-75.2566,27.250000	35,39.8598,-75.1553,21.200000
4,39.8015,-75.3544,43.800000	20,39.8171,-75.2496,25.150000	36,39.8610,-75.1478,21.400000
5,39.8027,-75.3491,37.250000	21,39.8190,-75.2429,24.450000	37,39.8604,-75.1404,19.900000
6,39.8028,-75.3428,38.450000	22,39.8215,-75.2362,23.550000	38,39.8591,-75.1332,16.550000
7,39.8028,-75.3361,36.750000	23,39.8245,-75.2302,24.350000	39,39.8588,-75.1261,13.750000
8,39.8028,-75.3292,33.800000	24,39.8276,-75.2241,26.300000	40,39.8600,-75.1189,16.550000
9,39.8030,-75.3228,34.800000	25,39.8303,-75.2176,21.550000	41,39.8626,-75.1123,16.250000
10,39.8034,-75.3157,33.600000	26,39.8328,-75.2113,21.900000	42,39.8651,-75.1064,17.450000
11,39.8036,-75.3106,34.250000	27,39.8356,-75.2044,24.600000	43,39.8667,-75.1028,18.400000
12,39.8052,-75.3046,30.250000	28,39.8380,-75.1980,22.700000	44,39.8696,-75.1016,17.000000
13,39.8063,-75.2977,29.700000	29,39.8411,-75.1914,22.850000	45,39.8749,-75.1023,17.050000
14,39.8074,-75.2907,30.150000	30,39.8442,-75.1855,24.200000	46,39.8806,-75.1030,18.250000
15,39.8089,-75.2841,28.550000	31,39.8475,-75.1795,22.100000	47,39.8860,-75.1040,15.150000
16,39.8105,-75.2772,29.300000	32,39.8506,-75.1736,17.800000	48,39.8916,-75.1058,15.200000

**A.17 09054.TXT Data**

Logging started on: 09/05/01at 11:00:05 PM  
Center Frequency: 1.610000E+3  
Logging stopped on: 09/05/01at 11:50:11 PM  
Logging started on: 09/05/01at 11:51:04 PM  
Center Frequency: 1.610000E+3  
Logging stopped on: 09/06/01at 12:00:34 AM  
Logging started on: 09/06/01at 12:06:54 AM  
Center Frequency: 1.610000E+3  
Logging stopped on: 09/06/01at 12:22:40 AM

Entry, Latitude, Longitude, Level		
1,39.4831,-74.6437,1.150000	65,39.3639,-74.4191,15.050000	129,39.3312,-74.4968,12.900000
2,39.4795,-74.6387,1.450000	66,39.3639,-74.4191,15.750000	130,39.3304,-74.4985,6.800000
3,39.4748,-74.6347,0.850000	67,39.3639,-74.4191,16.750000	131,39.3286,-74.5020,11.400000
4,39.4694,-74.6325,1.300000	68,39.3637,-74.4195,15.200000	132,39.3288,-74.5044,11.350000
5,39.4640,-74.6316,1.450000	69,39.3632,-74.4206,13.700000	133,39.3305,-74.5060,14.850000
6,39.4583,-74.6305,1.050000	70,39.3631,-74.4208,14.050000	134,39.3314,-74.5069,13.550000
7,39.4531,-74.6277,1.100000	71,39.3618,-74.4242,9.850000	135,39.3331,-74.5084,15.050000
8,39.4488,-74.6235,1.100000	72,39.3617,-74.4244,9.250000	136,39.3331,-74.5084,5.200000
9,39.4454,-74.6177,1.400000	73,39.3614,-74.4251,7.700000	137,39.3350,-74.5102,13.000000
10,39.4429,-74.6110,1.500000	74,39.3602,-74.4280,3.550000	138,39.3374,-74.5126,17.250000
11,39.4408,-74.6046,1.450000	75,39.3598,-74.4292,12.700000	139,39.3377,-74.5130,5.500000
12,39.4386,-74.5978,2.650000	76,39.3591,-74.4307,16.700000	140,39.3377,-74.5166,18.800000
13,39.4363,-74.5911,2.150000	77,39.3587,-74.4319,10.350000	141,39.3399,-74.5210,15.700000
14,39.4327,-74.5858,1.850000	78,39.3587,-74.4319,19.300000	142,39.3434,-74.5244,16.500000
15,39.4282,-74.5815,2.150000	79,39.3578,-74.4340,21.750000	143,39.3464,-74.5284,18.300000
16,39.4245,-74.5763,3.450000	80,39.3572,-74.4356,12.000000	144,39.3495,-74.5332,20.700000
17,39.4215,-74.5700,0.300000	81,39.3572,-74.4356,12.500000	145,39.3525,-74.5379,16.400000
18,39.4186,-74.5638,5.950000	82,39.3566,-74.4370,10.250000	146,39.3554,-74.5416,18.600000
19,39.4156,-74.5575,6.150000	83,39.3553,-74.4404,4.850000	147,39.3563,-74.5424,19.350000
20,39.4128,-74.5515,7.450000	84,39.3550,-74.4409,6.750000	148,39.3563,-74.5424,19.150000
21,39.4095,-74.5455,7.450000	85,39.3540,-74.4435,13.000000	149,39.3563,-74.5424,19.900000
22,39.4062,-74.5395,9.700000	86,39.3536,-74.4445,8.700000	150,39.3563,-74.5424,20.000000
23,39.4057,-74.5326,14.150000	87,39.3529,-74.4462,9.550000	151,39.3563,-74.5424,20.100000
24,39.4031,-74.5261,18.400000	88,39.3518,-74.4489,13.150000	152,39.3563,-74.5424,20.200000
25,39.3999,-74.5201,24.650000	89,39.3517,-74.4489,14.950000	153,39.3580,-74.5443,20.050000
26,39.3967,-74.5144,31.250000	90,39.3505,-74.4520,12.650000	154,39.3613,-74.5476,19.650000
27,39.3926,-74.5109,47.050000	91,39.3500,-74.4539,10.100000	155,39.3638,-74.5507,15.850000
28,39.3897,-74.5095,37.900000	92,39.3487,-74.4567,12.150000	156,39.3657,-74.5524,10.850000
29,39.3859,-74.5050,41.050000	93,39.3487,-74.4568,16.750000	157,39.3686,-74.5527,7.850000
30,39.3833,-74.4983,31.650000	94,39.3472,-74.4598,15.000000	158,39.3715,-74.5530,5.550000
31,39.3807,-74.4914,25.650000	95,39.3455,-74.4634,13.350000	159,39.3747,-74.5534,7.550000
32,39.3783,-74.4849,26.350000	96,39.3439,-74.4667,10.300000	160,39.3775,-74.5538,5.750000

33,39.3755,-74.4784,23.150000  
 34,39.3727,-74.4723,20.700000  
 35,39.3702,-74.4668,23.150000  
 36,39.3676,-74.4612,20.300000  
 37,39.3663,-74.4550,20.300000  
 38,39.3646,-74.4485,19.800000  
 39,39.3633,-74.4439,20.650000  
 40,39.3617,-74.4400,13.700000  
 41,39.3587,-74.4384,16.650000  
 42,39.3588,-74.4362,18.900000  
 43,39.3603,-74.4325,12.300000  
 44,39.3613,-74.4299,9.600000  
 45,39.3615,-74.4295,13.350000  
 46,39.3619,-74.4284,12.950000  
 47,39.3632,-74.4253,4.350000  
 48,39.3644,-74.4225,10.000000  
 49,39.3647,-74.4218,12.650000  
 50,39.3651,-74.4207,14.200000  
 51,39.3654,-74.4199,14.500000  
 52,39.3662,-74.4182,10.350000  
 53,39.3663,-74.4179,5.850000  
 54,39.3672,-74.4156,9.250000  
 55,39.3658,-74.4146,10.250000  
 56,39.3654,-74.4143,17.250000  
 57,39.3647,-74.4135,2.800000  
 58,39.3656,-74.4112,8.350000  
 59,39.3660,-74.4101,8.850000  
 60,39.3657,-74.4109,4.900000  
 61,39.3649,-74.4129,6.200000  
 62,39.3641,-74.4149,7.800000  
 63,39.3631,-74.4175,10.750000  
 64,39.3641,-74.4183,13.950000


97,39.3423,-74.4700,19.750000  
 98,39.3407,-74.4732,8.300000  
 99,39.3390,-74.4768,9.550000  
 100,39.3377,-74.4794,11.650000  
 101,39.3363,-74.4824,16.950000  
 102,39.3347,-74.4856,14.450000  
 103,39.3333,-74.4887,10.450000  
 104,39.3318,-74.4916,17.050000  
 105,39.3304,-74.4945,14.250000  
 106,39.3299,-74.4956,13.050000  
 107,39.3297,-74.4959,11.250000  
 108,39.3285,-74.4984,14.550000  
 109,39.3273,-74.5010,19.600000  
 110,39.3259,-74.5039,12.150000  
 111,39.3240,-74.5072,7.500000  
 112,39.3223,-74.5100,8.500000  
 113,39.3209,-74.5122,13.900000  
 114,39.3209,-74.5123,14.650000  
 115,39.3200,-74.5143,10.200000  
 116,39.3213,-74.5155,10.300000  
 117,39.3223,-74.5141,14.700000  
 118,39.3234,-74.5121,10.000000  
 119,39.3245,-74.5100,17.300000  
 120,39.3258,-74.5075,14.650000  
 121,39.3272,-74.5048,15.950000  
 122,39.3285,-74.5022,11.950000  
 123,39.3301,-74.4990,14.800000  
 124,39.3315,-74.4963,15.750000  
 125,39.3316,-74.4963,14.400000  
 126,39.3316,-74.4963,17.100000  
 127,39.3316,-74.4963,17.400000  
 128,39.3313,-74.4966,13.200000

161,39.3810,-74.5550,10.250000  
 162,39.3835,-74.5558,10.700000  
 163,39.3837,-74.5559,13.400000  
 164,39.3870,-74.5570,9.900000  
 165,39.3904,-74.5581,12.050000  
 166,39.3910,-74.5583,11.750000  
 167,39.3929,-74.5590,13.800000  
 168,39.3942,-74.5593,15.300000  
 169,39.3959,-74.5573,10.800000  
 170,39.3982,-74.5544,15.000000  
 171,39.3982,-74.5544,9.100000  
 172,39.3982,-74.5544,9.350000  
 173,39.3982,-74.5544,9.950000  
 174,39.3999,-74.5523,17.800000  
 175,39.4020,-74.5498,9.600000  
 176,39.4032,-74.5527,9.050000  
 177,39.4045,-74.5563,5.150000  
 178,39.4081,-74.5559,10.000000  
 179,39.4129,-74.5535,8.700000  
 180,39.4177,-74.5502,7.700000  
 181,39.4226,-74.5466,14.500000  
 182,39.4275,-74.5429,12.250000  
 183,39.4325,-74.5404,9.450000  
 184,39.4381,-74.5392,9.250000  
 185,39.4434,-74.5390,10.800000  
 186,39.4484,-74.5381,7.600000  
 187,39.4534,-74.5354,5.100000  
 188,39.4586,-74.5337,6.100000  
 189,39.4634,-74.5315,3.100000  
 190,39.4681,-74.5293,3.450000  
 191,39.4709,-74.5282,3.900000

## APPENDIX B

### HAR COVERAGE MAPS

Appendix B contains the maps generated by ESRI ARCVIEW using data collected by the software described in Chapter 3. Yellow colored dots represent samples where inadequate signal strength for intelligibility exists. Green shades indicate areas of questionable audio reception. Blue colors denote quality reception.



**Figure B.1** Seven Transmitters on the New Jersey Turnpike



07281.TXT

Figure B.2 Garden State Parkway Exit 98

- 07301.txt
- 0 - 15
  - 15 - 17
  - 17 - 19
  - 19 - 21
  - 21 - 31
  - 31 - 41
  - 41 - 58.9

- Njfds.shp
- ▬ Primary road with limited access
  - ▬ Primary road



07301.TXT

Figure B.3 I-80 at I-287




Figure B.4 I-80 at Allamuchy

- 07311.txt
- 0 - 15
  - 15 - 17
  - 17 - 19
  - 19 - 21
  - 21 - 31
  - 31 - 41
  - 41 - 48.25

- Njrds.shp
- Primary road with limited access
  - Primary road



07311.TXT

Figure B.5 NJ-4 at NJ-17





Figure B.6 Two Transmitters on I-80 at US-46 and NJ-23





08021.TXT

Figure B.7 US-1 at I-287




Figure B.8 I-95 and I-80 at George W. Bridge





Figure B.9 New Jersey Turnpike Exit 16W

- 08033.txt
- 0 - 14
  - 14 - 16
  - 16 - 18
  - 18 - 20
  - 20 - 30
  - 30 - 40
  - 40 - 51.35
- Njrd.sshp
- Primary road with limited access
  - Primary road



08033.TXT

Figure B.10 US-1 at I-295




Figure B.11 Newark International Airport




Figure B.12 New Jersey Turnpike Exit 14B




Figure B.13 New Jersey Turnpike Exit 11 and Ocean Beach on Route 36




Figure B.14 I-295 Transmitter in Carneys Point Near Delaware Memorial Bridge





09053.TXT

Figure B.15 Wilmington, DE Bleedover onto I-295





Figure B.16 Atlantic City Expressway at Pleasantville Toll Plaza



**07301.TXT, 07311.TXT,  
And 08011.TXT**

**Figure B.17 MAGIC Transmitters Along I-80 Corridor**

## REFERENCES

- [1] Federal Communications Commission. Low Power Radio Broadcast Stations. 3 Sept. 2001 <<http://www.fcc.gov/mmb/asd/lowpwr.html>>.
- [2] Information Station Specialists. ISS Home Page. 3 Sept. 2001 <<http://www.theradiosource.com/>>.
- [3] LPB Communications. Home Page. 3 Sept. 2001 <<http://www.lpbinc.com/indexNET.htm>>.
- [4] Minnesota Department of Transportation. Minnesota Guidestar About Us. 18 Jan. 2001 <<http://www.dot.state.mn.us/guidestar/aboutus.html>>.
- [5] California Department of Transportation. Traffic Operations Home. 3 Sept. 2001 <<http://www.dot.ca.gov/hq/traffops/>>.
- [6] Rhode Island Department of Transportation. Transportation Management Center–Home Page. 30 Jan. 2001 <<http://www.tmc.state.ri.us/>>.
- [7] Biline Computing Technologies, Inc. Introduction to HAR. 16 Jan. 2001 <<http://www.biline.com/har0.html>>.
- [8] Department of Public Works and Transportation, Montgomery County, MD. Traffic Responsive Signal System. 16 Jan. 2001 <<http://www.dpwt.com/kiosk/atms/control/signals.html>>.
- [9] Highway Information Systems, Inc. Home Page. 3 Sept. 2001 <<http://www.highwayinfo.com>>.
- [10] Transportation Intelligence, Inc. Highway Advisory Radio & Traveler's Information. 3 Sept. 2001 <<http://www.tis-har.com>>.
- [11] Information Station Specialists, Inc. "Pricing for ITS 6000." Email to Linda Folland. 18 June 2001.
- [12] Highway Information Systems, Inc. "HAR Information." E-mail to Bruce Reimer. 19 June 2001.